

FSP Industrial Products

OZ CHOKS®

Heavy Duty Plastic Wheel Choks
Mounting Brackets for OZ Choks

HUNGRY BOARDS

Hungry Boards
Fire Safe Engine & Wheel Motor Covers
Fire Safe Engine & Wheel Motor Covers
Fenzy Boxes
Tool Boxes and Under Tray Tool Box
Pedestrian / Traffic / Control Barrier
Dirt Bag Barrier™
Drill & Blast Hole Savers
Custom Signage
Lighting
Safety Flags

FIRE SAFETY PRODUCTS

Fire Safety Cabinets
Underground Depot Box
Vehicle Extinguisher Bracket
Fire Extinguisher Stand
Hose Reels

MISCELLANEOUS

Document Storage Boxes
Multi-Purpose Cabinets
Battery Boxes & Storage
Oil Trolleys
Spill Pallets
Axle Stand, Loading Angles and Roof Signs
Axle Stand, Loading Angles and Roof Signs

FSP COOL LOCKERS®

Unique Advantages
Installation Gallery
Accessories

How To Order

Notes

Contents

4
4
6
10
10
12
14
15
16
16
18
19
20
21
22
23
24
24
27
28
29
30
34
34
35
37
38
40
42
43
44
44
45
54
60
61

Distributed by

www.AmeraProducts.com

Phone: (800) 608-6548

Fax: (409) 840-5545


info@ameraproducts.com



Distributed by
www.AmeraProducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

Heavy Duty Plastic Wheel Choks

Heavy Duty Plastic Wheel Choks are available in a standard color of yellow with other colors available on request. Traction pads are essential to the safe usage of our Chok range and are available.



FSP OZCHOKS are designed to fit a wide range of tire sizes

- Always use an adequate number of choks as per your risk assessment.
- Always place choks on solid surface with vehicle stopped / park brake on.
- Always place choks squarely against the centre of tire.
- Use contradictory to instructions may cause product failure/personal injury.
- NEVER use damaged choks.
- NEVER drive over a chok.

Safety Alert: FSP Mining Products takes no responsibility for the negligence of users of our OZ CHOKS® who do not carry out a safety check to ensure that the chock is intact prior to use.



Distributed by
www.Ameraproducts.com

Phone: (800) 608-6568


Fax: (409) 840-5545

info@ameraproducts.com



OZ CHOK 055

Product Code: OZCH055
W 8 1/4" x D 11 3/8" x H6 1/2"
Weight:2.64lb



OZ CHOK 065

Product Code: OZCH065
W 11" x D 14 5/8" x H9"
Weight:8.8lb




OZ CHOK 075

Product Code: OZCH075
W 16 1/2" x D 18 1/4" x H10 1/4"
Weight:17.6lb



OZ CHOK 105

Product Code: OZCH105
W 15" x D 22" x H11"
Weight:35.3lb



OZ CHOK 155

Product Code: OZCH155
W 16 1/2" x D 26" x H16 1/8"
Weight:40lb

Mounting Brackets for OZ Choks

A full range of mounting brackets and trolleys are available to suit all wheel chock sizes.

- A security retaining strap is to hold the chock in place securely to avoid accidents and injuries
- Easily attached to vehicle using preformed secure points
- Corrosion and rust resistant
- Available in all sizes



Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com




CHOK Bracket to suit OZ CHOK 055

Product Code: OZCHB055
Stainless Steel bracket to suit 55



CHOK Bracket to suit OZ CHOK 065

Product Code: OZCHB065
Stainless Steel bracket to suit OZ CHOK 065



CHOK Bracket to suit OZ CHOK 075

Product Code: OZCHB075
Stainless Steel bracket to suit OZ CHOK 075

CHOK Bracket to suit OZ CHOK 105

Product Code: OZCHB105

Stainless Steel bracket to suit OZ CHOK 105



CHOK Bracket to suit OZ CHOK 155

Product Code: OZCHB155

Stainless Steel bracket to suit OZ CHOK 155



CHOK Storage Stand

Product Code: OZCHSS

Cable Covers



Cable Cover

Product Code: CCC

W 20 7/8" x D 39 3/4" x H2 9/16"

Manufactured using polyurethane these cable covers have interlocking clips to make runs as long as you need. This helps to protect cables and hoses against damage from traffic and falling debris.



CHOK Storage Rack (Twin)

Product Code: OZCHSR2



Mounting Brackets & Trolleys for OZ Choks

CHOK Storage Rack (Quad)

Product Code: OZCHSR4



Trolleys for OZ Choks

155 Trolley

Product Code: OZCHTR155

Stainless Steel 155 Trolley



155 Trolley with Chok Release

Product Code: OZCHTR155B

Stainless Steel 155 Trolley with Chok Release



Cable Crossovers

Protects electrical cables up to 4 3/4" (120mm) in diameter during maintenance or emergency operations. (Not recommended for use by haul trucks) Durable, UV Stable, Light Weight, Rust Resistant, Non Corrosive, Impact Resistant

FSP Cable Cross Over Bridge 4 3/4" (120mm) OD hose

Product Code: CCO120

W 18 7/8" x D 29 1/2" x H7 1/8"



Drill Chok

Solid, transportable Drill Chok aids in the elevation of heavy equipment for loading onto floats. These units can be stacked for larger lift heights to reduce the accidental damage to machinery.

Drill Chok

Product Code: OZCHDR



FSP Ripper Chok

Polyurethane Block for aiding in the replacement of Dozer Ripper Boots.

W 11 13/16" x D 7 7/8" x H 11 5/8"

Weight: 40lb

FSP Ripper Chok - Product Code: OZCHRC



FSP Ripper Pad

FSP Ripper Pad - Product Code: OZCHRP

Polyurethane Pad for resting and protecting Dozer Ripper Boots.

Pad W 15 3/4" x D 15 3/4" x H 1 3/4", Handle D 2 3/4"



Hungry Boards

Hungry boards are designed to reduce weight and increase payload. They are lightweight, weather resistant and easy to replace. Mirror protectors, rock deflectors (patent pending) and head boards also available.


Hungry Boards

Product Code: SEHB

Patent Pending

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com





FSP Firesafe Engine Cover
FSP FIRESAFE ENGINE COVER
Product Code: FSB



FSP14A was discovered whilst searching for a material to strengthen polystyrene to use for light weight building materials. Polystyrene and its unique structure limits its ability to mix with most other materials except FSP14A.

After stringent testing it was discovered that FSP14A was also fire retardant and anti-static which led to its approval as a FRAS Material for use in the mining industry in January of 1995.

In 1997 FSP was awarded with the contract of the upgrading and fire proofing of Caterpillar Mining trucks through-out Australia. This was born out of a safety requirement to protect the drivers in the instance of an engine fire, so they may escape over the FSP engine cover. This innovative mindset of FSP focused on safety and durability has grown the company to what it is today.

Distributed by
www.AmeraProducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com



Wheel Motor Covers

The flexible nature of polyethelene absorbs rock damage and tyre impact from front end loaders. The flexibility, durability and strength of this cover makes it a fore runner within the industry.

FSP Wheel Motor Cover 788

Product Code: WMC788
(Standard Model)



FSP Wheel Motor Cover 788 Fibreglass

Product Code: WMC788F
(Fibreglass Model)



Fenzy Boxes

Dust Sealed, Self Return Carry Handles, Partitioned for convenience, Clear Document Holder in Front Panel, Concealed Space for Anti-Tamper Seal.



Fenzy Box Blue
Product Code: CFB-B
W 40 9/16" x D 17 1/8" x H21 1/16"



Fenzy Box Green
Product Code: CFB-G
W 40 9/16" x D 17 1/8" x H21 1/16"

Under Tray Water Tank 11gal



Product Code: TBUTWT
Easily accessible Conveniently positioned tap Soap holder for ease of use. 11gal capacity.



Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

Dog Box

Dog Box

Product Code: TBDBSMALL

W 30" x D18" x 18"



This light weight weather proof dog box features the strength and durability that steel cannot provide, along with being economically viable this unit is corrosion resistant. With a heavy duty stainless hinge.



Dog Box

Product Code: TBDB

W 39 3/16" x D 19 9/16" x H19 1/2"



Under Tray Tool Box



Under Tray Tool Box LHS

Product Code: TBUTL (Left Hand Side)

(Left Hand Side)

W 30" x D 8 7/8" x H15"



Under Tray Tool Box RHS

Product Code: TBUTR (Right Hand Side)

(Right Hand Side)

OZ Box

Key Aspects: 3 Way Locking System, Weather Seal, Gas Struts, Light Weight, Durable.

OZ Box 900

Product Code: TBOZB900

W 35 7/16" x D 19 11/16" x H19 11/16"



OZ Box 1200

Product Code: TBOZB1200

W 47 1/4" x D 24 13/16" x H23 5/8"



FSP Safety Barrier

Product Code: SEDF
W78 3/4" x 3 1/2" x 47 1/4"
(with plastic swivel feet)



Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

- Constructed of high density polyethylene, UV stable, resists corrosive elements, lightweight - total weight of 40lb (18kg).
- Allows handling by one person, barrier may be joined into a variety of configurations, locks together via a locking loop on each end.
- Supplied with plastic swivel feet.
- Units may be stacked onto a pallet for transportation or against a wall for storage.
- Excellent barrier for delineation or denying pedestrian access to work areas.
- Solar Flashing Light can be mounted to centre of Safety Barrier.

Dirt Bag Barrier™



Product Code: DBDF

This innovative barrier can be stabilised with sand bags, dirt or any other material when water is not available.

Barriers are interlocking to form lengths required.

Able to be stacked for ease of transportation.

Standard pallet size in length; two stacks will fit on a pallet.

Suitable for sandbag or shovels of earth if further stability is required, eliminating the need for filling or emptying with water.

Easily handled by one person, only weighs 24lb (11kg).

Reflective material may be applied for added visibility.

Optional sign available for insertion into top of barrier.

Forkliftable

W45" x D22 1/2" x 27 1/2" (without sign), 39 3/8" (with sign)


Weight: 24lb




Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

Drill & Blast Hole Savers


Color Coded, Non Lock Stacking, Light Weight with Hand Grip, Standard Colors(Others on request)



FSP Hole Saver 65
Product Code: HS065
Base: \varnothing 2 3/8"
Top: \varnothing 7 3/8"
Height: 15 3/4"



FSP Hole Saver 75
Product Code: HS075
Base: \varnothing 3"
Top: \varnothing 7 1/2"
Height: 16 1/4"



FSP Hole Saver 160
Product Code: HS160
Base: \varnothing 6 5/16"
Top: \varnothing 13"
Height: 31 1/2"



FSP Hole Saver 250
Product Code: HS250
Base: \varnothing 9 7/8"
Top: \varnothing 18 7/8"
Height: 31 1/2"



FSP Hole Saver 200
Product Code: HS200
Base: \varnothing 7 7/8"
Top: \varnothing 17 3/4"
Height: 31 1/2"

Flashing SWL Solar Lights

Product Code: SESPB

FSP Solar Beacons are used for delineation purposes and help assist in the identification of many different hazards.

Our Beacons are - Dust Proof, Light Sensitive, Solar Powered and can be easily fixed to FSP Safety Signs, Barriers and Traffic Cones. Run time in excess of 12 hours – charge via energy from sun.

Flashing beacons can be attached to top of safety signs.



Safety Sign Options

Custom text available in either non reflective or Class 2 reflective material. Colors available: White, Red, Yellow, Blue, Green.



Safety Sign 900

Product Code: SS900
W35 1/2" x D35 1/2" x H31 7/8"

Safety Sign 600L Light Included

Product Code: SS600L

Safety Sign 900L Light Included

Product Code: SS900L

Safety Sign 600

Product Code: SS600
W27 1/2" x D27 1/2" x H24"



Cable Horse

Suspend your electric cables and air lines and prevent them from becoming damaged by placing them on FSP's cable horses. Available in 2 sizes, FSP's Cable Horses are UV stable, light weight and durable.

FSP Cable Horse 900 (Fence)

Product Code: CCF900

W 35 7/16" x D 35 7/16" x H31 1/2"



FSP Cable Horse 900 (Fence)

Product Code: CCF900

W 35 7/16" x D 35 7/16" x H31 1/2"




Wheel Nut Indicator

The wheel nut indicator is designed to visually identify any movement of the wheel nut and/or excessive heating of the hub. Available in a large range of sizes.

Wheel Nut Indicator

Product Code: SEWNI



Distributed by
www.AmeraProducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

Safety Flags

Safety Flags are available in lengths tailor made to suit your needs. All of the FSP Flags and Bunting are UV Stable, extremely durable and hardwearing.

Distributed by
www.AmeraProducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

SAFETY FLAG KIT Product Code: SFLAGKIT
Includes 4 piece pole, flag, coupling and mount spring. Modular system.



FLEXIBLE SPRING MOUNT
Product Code: SFSFM



BRASS NUT / CONNECTORS
Product Code: SFSBNC



QUICK RELEASE COUPLING
Product Code: SFSF



Fire Safety Cabinets

FSP Fire Extinguisher Cabinets come standard with the viewing window. OO3 Break glass are a standard feature with key lock units.



Fire Extinguisher Cabinet 250 Lockable

Product Code: CFE250L



Fire Extinguisher Cabinet 450 Lockable

Product Code: CFE450L



Fire Extinguisher Cabinet 900

Product Code: CFE900L

Fire Extinguisher Cabinet 250

Product Code: CFE250
W 10 13/16" x D 7 1/8" x H20 1/4"

Fire extinguisher cabinet to hold a 5.5lb (2.5kg) fire extinguisher.

Fire Extinguisher Cabinet 450

Product Code: CFE450
W 12 1/4" x D 12 1/4" x H26"

Fire extinguisher cabinet to hold a 10lb (4.5kg) fire extinguisher

Fire Extinguisher Cabinet 900

Product Code: CFE900
W 12 1/4" x D 12 1/4" x H31 1/2"
Fire extinguisher cabinet to hold a 20lb (9kg) fire extinguisher



Distributed by
www.AmeraProducts.com
 Phone: (800) 608-6568
 Fax: (409) 840-5545
info@ameraproducts.com



Double Fire Extinguisher Cabinet

Product Code: CFED

W 22 7/16" x D 11 7/8" x H31 1/2"

Single Door

Fire extinguisher cabinet to hold 2 x 20lb (9kg) fire extinguisher

Fire Hose Reel Cabinets

(Also available in blue for foam)

Single Door Fire Hose Reel Cabinet

Product Code: CFHRSD

W 33 1/2" x D 15 3/4" x H29 3/8"

Single Door Fire Hose Reel Cabinet Galvanised Stand

Product Code: CFHRSDSTG

(To suit CFHRSD)

W 33 1/2" x D 15 3/4" x H23 5/8"





Two Door Fire Hose Reel Cabinet

Product Code: CFHR
W 48" x D 18 1/2" x H41 3/4"



Fire Hose Reel Cabinet Base

Product Code: CFHR Base
(To suit CFHR)
W 48" x D 18 1/2" x H19 5/8"

Single Door Fire Hose Cabinet + S/S Hardware Brackets (Optional Hose Hanger)

Product Code:CFHRSD

Fire Hose Cabinet Combination

Includes:

- Cabinet
- S/S Hardware Brackets
- Galvanized Hose Hanger
- Stand (Mild steel, Galvanised or Stainless Steel).
- Internal hardware brackets can be customized for your equipment



Underground Depot Box

Product Code: CFDU/G

W 31 1/2" x D 22 5/8" x H31 1/8"

Constructed using Marine grade latches, Stainless Steel Piano Hinges, Moulded Hand Grips and Dust Seal.



Also available as a stationary unit.

Key Aspects of the Underground Fire Depot Box:

- Concealed space for anti-tamper seals
- Stainless Steel Carry handles for 2 person operation
- Telescopic Stainless Steel handle for single person placement
- Fixed hardware tray
- Oversized tyres to assist in maneuvering over rough terrain
- UV Stable
- Corrosion Resistant
- Low centre of gravity
- Easy reach to bottom of box
- Can hold 4 x 5.3 gal (20lt) foam concentrates
- Holds pick up branch pipe and spear
- Your choice of wording
- Can be supplied with your nominated fire fighting mediums
- Robust and Durable

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

FSP Safety Extinguisher Bracket for Vehicle

Product Code: FSEBV

- W 12" x D 12" x H27 1/2"
- Suits multiple sizes of extinguisher
- UV Stable Polyethylene with clear Polycarbonate Face
- White Reflective Decals - "FIRE EXTINGUISHER"
- Weather Resistant.
- Adjustable Inner Retainer Strap (for extinguisher)
- Marine Grade Straps
- Easily Accessible



Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

Fire Extinguisher Stand

Product Code: CFESTAND

W 19 1/4" x D 19 1/4" x H 29 1/2"

The portable Fire Extinguisher stand can hold up to a 20lb (9kg) fire extinguisher.

- Ideal for temporary siting when OH and S requires ready access to extinguishers.
- Ideal for temporary location on wharves, loading areas, mine sites and factory floors.
- White reflective decals - "Fire Extinguisher"
- Rotationally moulded using tough polyethylene plastic
- Base has three feet allowing it to stand on un-even surfaces
- Able to be stacked



Hose Reels

Heavy Duty Fire Hose Reels
Heavy Duty model available with S/S components.

Rotationally moulded polyethylene drum
Stainless Steel Swivel Mount and rewind handle available.
Sealed bearings and stainless steel internal and quad rings
Can be fixed to the wall or floor using a stainless steel mounting bracket
3/4" or 1" Hose Outlet
Double/single sided cradles available in both Galvanized and Stainless Steel
Hose Capacity: 164' x 1/2" hose, 118' x 3/4" hose, 65' x 1" hose



Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

Fire Hose Reel 500

Product Code: HR500 (19C/25C)
Total Height: 20 1/2"
Reel Width: 6 5/16"
Reel Height: 7"

Fire Hose Reel 600

Product Code: HR600 (19C/25C)
Total Height: 23 5/8"
Reel Width: 12"
Reel Height: 7 3/4"

Fire Hose Reel 700

Product Code: HR700 (19C/25C)
Total Height: 27 1/2"
Reel Width: Adjustable
Reel Height: 12"



Hose Reels



Double Sided Fire Hose Cradle



Underground Mobile Hose Reel



Product Code: HRM700/19-25C
Rotationally Moulded Polyethylene Drums,
316 Stainless Steel Internals.

Stainless Steel Rewind Handle Coated
with Heavy Duty Industrial Paint.


Hose Capacity of 400' x 3/4" or 330' x 1".
Tested at 2100kpa (300psi) Galvanized
steel frame.

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

**FSP Galvanized Hose Reel Stand
(Optional Hose Hanger)**

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

**FIRE
HOSE
REEL**



Fire Hose Reel Cover



Fire Hose Reel Cover 36

Product Code: HRC36

To suit hose reels with up to 118' of 3/4" hose



Fire Hose Reel Cover 50

Product Code: HRC50

To suit hose reels with up to 64' of 1/2" hose

Fire Hose Reel Trolley

Complete with:

- Heavy Duty Hose Reel
- Gal Cradle (painted Signal Red)
- 4 x 3" Castors
- Fold Down Handle
- Drum Stop



Document Storage Boxes

The weather resistant polyethylene cases are durable and rustproof. Labels adhere to smooth surface for easy identification of contents. The document storage boxes are ideal for holding material data safety sheets (SDS), site work instructions, and / or equipment manuals. Boxes come with rear mounting holes for easy fixture to existing structures. Two sizes are available - CDS and CDSLARGE



Document Storage Box

Suitable for Letter or A4 paper size.
Product Code: CDS

Internal: W 9 1/16" x D 1 39/64" x H 11 11/16"

External: W 10 25/64" x D 2 9/32" x H 12 31/64"



Document Storage Box Large

Suitable for large A4 or Foolscap document binders.
Product Code: CDSLARGE

Internal: W 11 1/2" x D 3 35/64" x H 14 59/64"

External: W 13 3/16" x D 4 7/32" x H 15 45/64"



Multi-Purpose Cabinets

Multi Purpose Cabinet 1

Product Code: CMP1
W 22 7/8" x D 9 7/8" x H 22 7/8"

Multi Purpose Cabinet 2

Product Code: CMP2
W 22 7/8" x D 14 5/8" x H 22 7/8"



Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com



PPE Cabinet
Product Code:
Choose from CMP1 or CMP2



Color and wording of your choice - Huge range of colors available and wording can be adapted to suit your specific needs.

First Aid Cabinet
Product Code: Choose from
CMP1 or CMP2

FSP Industrial Products

- Our flexibility allows us to offer you a huge range of cabinets in various sizes and colors to suit your particular needs.
- You choose the size and color, advise us of any wording you may require and we do the rest.
- Where security is an issue we can provide lockable handles / non lockable / 003 locks are available.

Breathing Apparatus Cabinet

Product Code: CF900BA
W12 1/4" x D12 1/4" x H31 1/2"

Eye Wash Cabinet

Product Code: CF900EW
W12 1/4" x D12 1/4" x H31 1/2"



Cabinet Stands

Stands available to suit CFE and CMP cabinets.





Work Platform

Product Code: WP500

W 20 7/8" x D 30 23/32" x H 18 29/32"

26.5lb

This product has been load tested at 1100lbs. Sturdy, UV Stable, Light Weight, Non Corrosive, Moulded non slip tread, Handles for easy mobility



Fibreglass Battery Box

Recessed Lockable Catches, Recessed Ventilation, Tie Down Handles, Aluminum Location Strips, Suitable for Forklift Use, Fibreglass Battery Case, Full Battery Box should only be stacked 2 high.



Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

Oil Trolleys

Oil Trolley 100

Product Code: OILT100

26 Gal (100 L) Sump Capacity

W 47 1/4" x D 19 11/16" x H 7 1/2"

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com



Foot Jack for Braking Included

Oil Trolleys

Portable Bulk Waste Oil Trolley, Stainless Steel Fittings, 92.5gal Spill Containment, 1" Reclaim Ball Valve, Foot Jack for braking, Removable Anti-Skid Work Platform, Pneumatic tires for easy maneuverability, Plug and tap to make oil disposal easy.

Portable Bulk Waste Oil Trolley 350

Product Code: OILT350

92 Gal (350L) Sump Capacity

W 58 11/16" x D 35 7/16" x H 17 11/16"



Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

Spill Pallets



FSP Spill Pallet 21 Gallon

Product Code: SPILL080

W26 3/8" x D26 3/8" x H9 3/8"

Banded spill pallets designed to hold:

4 x 5 Gal Drum

1 x 55 Gal (200L) Drums

Sump Capacity: Approx 13 Gal (50L)



FSP Drum Cover 55 Gallon

Product Code: SPDC200

Drum cover to suit 55 Gal (200L) drums



FSP Spill Pallet 106 Gallon

Product Code: SPILL400

W51 1/4" x D27 5/8" x H15"

Banded spill pallets designed to hold:

2 x 55 Gal (200L) Drums

Sump Capacity: Approx 106 Gal (200L)

FSP Spill Pallet 159 Gallon)

Product Code: SPILL600

W74 7/8" x D27 5/8" x H15"

Bunded spill pallets designed to hold:

3 x 55 Gal (200L) Drums

Sump Capacity: Approx 79 Gal (300L)



FSP Spill Pallet 212 Gallon

Product Code: SPILL800

W53 1/8" x D53 1/8" x H15"

Bunded spill pallets designed to hold:

4 x 55 Gal (200L) Drums

Sump Capacity: Approx 103 Gal (390L)

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

Rooftop ID Number

Product Code: ROOFIDL-NUM

- The Rooftop ID Number is ideal for light trucks and vans
- Made from tough rotationally moulded polyethylene, 5mm wall thickness
- Light-weight (only 5.5 lb or 2.5 kg)
- One piece (no breakage points)
- Diamond Grade Reflective Decals
- Available with magnets for easy mounting
- Optional Solar Beacon



W 12" x H 8"



Rear Axle Box Stand

Designed to Carry 71 US Ton
Will suit Komatsu 830E

Product Code: AXSTANDREAR

770 lb



FSP Industrial Products
6825 Speedway Blvd, Suite 11 Las Vegas NV89115, USA

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com



FSP COOL LOCKERS®

FSP COOL LOCKERS® have unique advantages over lockers made from traditional materials such as timber and metal. They are designed to last and to keep looking good in all environments. FSP COOL LOCKERS® are easy to clean - simply hose them out.



- ▶ UV stable with a HUGE range of anti-fade colors to choose from
- ▶ Lightweight & Stackable so they are easy to move and install
- ▶ The lockers are made of Heavy Duty Polyethylene with high-grade stainless steel door plate and hinge - so they are perfect for wet areas, coastal locations and outdoors
- ▶ Quieter than metal or timber lockers, no banging doors.
- ▶ Graffiti is easier to remove - No painting required
- ▶ Easy to clean and lowest maintenance. Just hose them out!
- ▶ Proven strength and durability - backed by our 15 year warranty.



US Patent No. 9113704



Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com



US Patent No. 9113704

FSP COOL LOCKERS® - USA - Locker colors shown are indicative only and may vary due to printing.

Distributed by
www.AmeraProducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

FSP Industrial Products



US Patent No. 9113704

Slight size variations may occur due to manufacturing. Consult your local FSP representative for more information.

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

These popular models of FSP COOL LOCKERS® require no customisation and are all available with shorter lead times for delivery. All our popular models are available in 25 different colors.



A4GRY-4TEA1
Teal 338



A4GRY-2PUR2
Purple 538



A4GRY-10ORA4
Orange 61



A3GRY-3MON1
Monument 8026



B3GRY-3MER1
Merino 918



B4GRY-4YEL1
Yellow 18



OLPH500



F4DBE-1YEL4



C4GRY-4LGN1 Lime Green 257

US Patent No. 9113704

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

15
YEAR WARRANTY



B4GRY-2MBE2
Mountain Blue 392



C4GRY-2MAG2
Magenta 526



C7GRY-7TEA1
Teal 338



C4GRY-1DBE4
Dark Blue 326



OL1800
Yellow 18

US Patent No. 9113704

Build your lockers....y

The FSP COOL LOCKERS® system is based on a simple modular system that allows you incredible flexibility. Choose different body footprints. Choose different sized doors and door colors in the same locker bank or within a single locker body.

You can create your own unique locker installation in three simple steps:

- Choose Locker Body**
 Select from 5 different locker “footprint” sizes - A series, B series (deepest unit), C series (widest unit), D series (narrowest unit), and the E series. All are available in 1-9 hinges.




A Series

B Series


C Series

D Series


E Series




Suits the small door. Avail. 1-9 hinge




Same width as A but deeper body. Avail. 1-9 hinge



Wider body for wider door. Avail. 1-9 hinge



Narrowest body. Avail. 1-9 hinge



Same width as D but shallower body. Avail. 1-9 hinge

US Patent No. 9113704

Distributed by
www.Ameraproducts.com
 Phone: (800) 608-6568
 Fax: (409) 840-5545
 info@ameraproducts.com

...your way.

2 Choose Locker Height
Choose from 1 - 9 hinge heights. You can select how many separate lockers you want to have in a single body. Every locker body size comes in 1 to 9 hinge options.



A1GRY-1SBE1



▶ All locker body footprint sizes available from a single hinge through to 9 hinges ▶

A8GRY-8SBE1

There are five body sizes and three door widths. The lines in the diagram represent the possible combinations of the locker bodies and doors from 1 to 9 hinges.

3 Choose Locker Door(s)
Select your locker door sizes and colors. Choose any combination of different sized doors to fill the selected locker in any of your chosen colors. The creative possibilities are endless



US Patent No. 9113704

The A series is a 15" wide x 17 3/4" deep (380mm x 450mm) locker body available in 1 - 9 hinges (A1 - A8). From 1 - 9 hinge doors can be installed, with combinations of different sized doors on the same locker body being possible.

▶ HUGE COLOR RANGE



A5GRY-2ORA2-

A4GRY-4SBE1

Distributed by
www.AmeraProducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

A3GRY-3MON1

A2GRY-2YEL1

A1GRY-1DBE1



US Patent No. 9113704

PLEASE CONTACT US FOR MORE INFORMATION
REGARDING AVAILABLE SIZES.

ENDLESS DOOR CONFIGURATIONS AVAILABLE

A2ORA2-1ORA1



A6GRY-3LBE2



A7GRY-1YEL7



A8GRY-8SBE1



A9GRY-3MAG3



US Patent No. 9113704

FSP COOL LOCKERS® have all the accessories you need. We can supply extra shelves, stainless steel number plates, sloping tops, kick bases, and combination padlocks. Coin operated units are also available.

Pad-Lockable
L-Shaped handle



Combination Lock



Sloping Top

Additional Shelves



Customisable
Steel Number
Plates



Product codes for ordering accessories:

Pad-Lockable L-Shaped handle: HCLHPLC

Combination lock: OLCL

Kickbase: OLBASEa, OLBASEb, OLBASEc, OLBASEd, OLBASEe*

Steel number plate: OLNUMBERS

Additional shelves: OLSHELFa, OLSHELFb, OLSHELFc, OLSHELFd, OLSHELFe*

Sloping top: OLTOPa, OLTOPb, OLTOPc, OLTOPd, OLTOPe* (available in 25 different colors)

* a, b, c, d, e depending on locker series.

FSP Cool Lockers colour chart

BLK Black 70	DBE Dark Blue 326	DGY Dark Grey 816	GRY Grey FSP	HGN Heritage Green FSP	HRD Heritage Red 45
LBE Light Blue 325	LGN Lime Green 257	LGY Light Grey 817	MAG Magenta 526	MBE Mountain Blue 392	MER Merino 918
MGN Mist Green 206	MON Monument 8026	ORA Orange 61	PUR Purple 538	RED Red 551	RIV Rivergum 234
SBE Stock Blue FSP	SGN Stock Green 209	SGY Slate Grey 89	TEA Teal 338	WHE Wheat 930	WHI White 05
YEL Yellow 18					

Distributed by
www.Ameraproducts.com
 Phone: (800) 608-6568
 Fax: (409) 840-5545
info@ameraproducts.com

Other Colors:

BEI - Beige
 BGY - Birch Gray
 BOE - Bronze Olive
 BSE - Blue Stone
 JAS - Jasper

SBH - Salt Bush
 SEB - Storm Edge Blue
 SCM - Smooth Cream
 STO - Stone
 TBE - Torres Blue

Cell Phone Locker

The perfect storage unit for mobile phones, wallets and other small personal items. The FSP Mobile Phone Locker is designed to fit most modern mobile phones including larger smartphones.



W 7 1/8" x D 9 1/2" x
H23 5/8"


Resistant to most cleaning solvents. Graffiti, chewing gum or stickers can be removed without affecting the integrity of the enclosure.



Resists being cut or jimmied open. Fitted with stainless steel locker loop. Designed to be secured closed with an appropriate padlock for maximum security. Optional padlock available.

Easily mountable locker banks.

Available in a range of colors to suit your environment. Optional wedge-top hood and kicker base. Optional USB charging ports.



US Patent No. 9113704

FSP COOL LOCKERS® - USA - Locker colors shown are indicative only and may vary due to printing. Suit your local FSP representative for more information.

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

Vented Wardrobe Locker

Constructed from polyethylene. Will not dent or rust. Resists knocks and bumps. No hinges to jam. No moving parts to maintain.

Resistant to most cleaning solvents. Graffiti, chewing gum or stickers can be removed without affecting the integrity of the enclosure.

Available in a range of colors to suit your environment.



Resists being cut or jimmied open. Fitted with 3-way locking mechanism. Designed to be secured closed with an appropriate padlock for maximum security. Optional padlocks available.

Width: 2' 4 3/4"

Depth: 1' 9 1/2"

Height: 6' 4 1/4"

(7' 4" with top and base)

Distributed by
www.Ameraproducts.com
 Phone: (800) 608-6568
 Fax: (409) 840-5545
info@ameraproducts.com

US Patent No. 9113704

OL1800 Locker



Constructed from polyethylene. Will not dent or rust. Resists knocks and bumps. No hinges to jam. No moving parts to maintain.

Resistant to most cleaning solvents. Graffiti, chewing gum or stickers can be removed without affecting the integrity of the enclosure.

Single door unit. Supplied with hood, base, shelf and hanging rail. Features a 3 way locking system. Resists being cut or jimmied open. Optional padlocks available.



Width: 14 9/16"
Depth: 19 11/16"
Height: 78 3/4"

Available in a range of colors to suit your environment.



US Patent No. 9113704

Tool Lockers

- For tool trolleys, vacuum cleaners and roll cabinets
- Easy wheel in / wheel out facility
- Slide out shelf - 3 way locking
- 3 way locking
- Polyethylene construction
- Can be configured to your requirements.

Tool Locker 2300

Product Code: OLTL2300

W 43 5/16" x D 36 5/8" x H"

Hooded Top Height: 11 13/16"



Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5545
info@ameraproducts.com

How To Order



FSP COOL LOCKERS®
7612 Bluff Point Drive,
HOUSTON, TX 77086

FSP Industrial USA
6825 Speedway Blvd, Suite 11
Las Vegas NV89115, USA

Notes