

FIRE PROTECTION EQUIPMENT COMPARISON CHART



The following comparisons should be used for cross-reference purposes only. This chart is designed to enable you to quote our products when a competitor's unit is being specified. In no way should their product be considered exactly equal to ours. NOTE: In particular, always check required wall depths of corresponding cabinets against wall thickness in the field.

CONTENTS

CABINET SERIES and STYLES.....	1
FIRE EXTINGUISHERS.....	2
FIRE EXTINGUISHER CABINETS (Ambassador, Academy and Cosmopolitan).....	3
FIRE EXTINGUISHER CABINETS (Panorama).....	4
FIRE EXTINGUISHER CABINETS (Clear Vu).....	5
FIRE EXTINGUISHER CABINETS (Embassy).....	5
FIRE EXTINGUISHER CABINETS (Cavalier).....	5
SPECIALTY CABINETS (Fire Blankets, Storage Cabinets).....	5
FIRE HOSE and VALVE CABINETS (Crowline).....	6, 7
COMPLIANCE CABINETS (Classic).....	7
CABINET DOORS STYLES.....	8
CABINET DOOR GLAZING.....	8

CABINET SERIES AND STYLES

JL INDUSTRIES	DESCRIPTION	FIRE END & CROKER	LARSEN'S	MODERN METAL	POTTER ROEMER
ADAC door option	Flush Pull	-	Recessed pull	-	-FP door style
Ambassador (- - 1 -)	Steel Door & Trim	Standard	Standard	Standard	Alta (steel)
Academy (- - 2 -)	Aluminum Door & Trim	-AL	(AL)	-	Alta (aluminum)
Cosmopolitan (- - 3 -)	Stainless Door & Trim	-SS	(SS)	-	Alta (stainless)
Cavalier (- - 4/5 -)	Bronze/Brass Door & Trim	-	(BZ), (B)	-	Alta (brass only)
Classic	Surface-Mounted Compliance	-	-	Economy	9000 Series
Clear Vu	Bubble Door	Canopy	Cameo	-	Loma
Embassy	Overlapping Door	-	Occult	-	Dana
Fire-FX TM	Fire-Rated Cabinet	FR-	Flame-Shield [®]	(field-assembled)	FRC
Panorama	Frameless Acrylic Door	-	Gemini	Tonna	Buena
Saf-T-Lok TM	Non-breakglass Cabinet Lock	BK-Lok	Larsen-Loc [®]	Lock	Break Rite [®]



ACPG MANUFACTURING & WAREHOUSES

Manufacturing : Bloomington, MN • Commerce CA

Lancaster PA • Atlanta GA • Grand Prairie TX • Chicago IL • Seattle WA • Fargo ND • Omaha NE • Fort Myers, FL

FPCC 1/25/2017



FIRE PROTECTION EQUIPMENT COMPARISON CHART



FIRE EXTINGUISHERS				
JL INDUSTRIES	FIRE END & CROKER	LARSEN'S	MODERN METAL	POTTER ROEMER
PRESSURIZED WATER				
Grenadier P	4202	PW 2-1/2	GI K	3202
MULTI-PURPOSE CHEMICAL				
Cosmic 2-1/2 E	4002	MP 2-1/2	Wing 3N K	3002
Cosmic 5E	4004	MP5	5H B	3005
Cosmic 5X	4005	MP5-A	5H B	3005-3
Cosmic 6E	-	MP6	-	3006
Cosmic 10E	4010	MP10	10H B	3010
Cosmic 20E	4020	MP20	20H B	3020
CARBON DIOXIDE				
Sentinel 5	4405	CD5	5HH K	3405
Sentinel 10	4410	CD10	10HH B	3410
Sentinel 15	4415	CD15	15HH K	3415
Sentinel 20	4420	CD20	20HH K	3420
REGULAR DRY CHEMICAL				
Galaxy 2-1/2	4302	DC 2-1/2	Center 3N K	3302
Galaxy 5	-	DC5	-	3305
Galaxy 5-1/2	4305	-	-	3305-3
Galaxy 6	-	DC6	6H K	3306
Galaxy 10	4310	DC10	10H K	3310
Galaxy 20	4320	DC20	-	3320
HALOTRON®				
Mercury 2-1/2	4132	HT 2-1/2	-	3102
Mercury 5	4135	HT5	-	3105
Mercury 11	4137	HT11	-	3111
Mercury 15-1/2	4139	HT 15-1/2	-	3115
CLASS K WET CHEMICAL				
Saturn 15	4834	WC-6L	-	3260
Saturn 25	-	-	-	3262

SECURITY/DETENTION FIRE EXTINGUISHER CABINETS - STEEL			
JL INDUSTRIES	TRIM	LARSEN'S*	POTTER ROEMER
FIRE EXTINGUISHER CABINETS			
SFC-11	Flat	DEC2409-R	DC-1704-F
SFC-12	2-1/2" Square	DEC2409-R4* (3-1/2")	--
SFC-13	Surface	DEC2409-SM	DC-1754-F
SFC-15	Flat	DEC2712-R	DC-1706-F
SFC-16	2-1/2" Square	--	--
SFC-17	Surface	DEC2712-SM	DC-1756-F
VALVE CABINETS			
SVC-11	Flat	DVC1818-R	DC-1810-F
SVC-12	2-1/2" Square	--	--
SVC-13	Surface	DVC1818-SM	DC-1815-F
HOSE CABINETS			
SHC-11	Flat	DHC3234-R	--
SHC-12	2-1/2" Square	--	--
SHC-13	Surface	DHC3234-SM	--

FIRE PROTECTION EQUIPMENT COMPARISON CHART



FIRE EXTINGUISHER CABINETS (Ambassador, Academy, and Cosmopolitan Series)					
JL INDUSTRIES Steel, Alum, St. Steel	TRIM	FIRE END & CROKER*	LARSEN'S*	MODERN METAL	POTTER ROEMER Steel, Alum, St. Steel
8114	NONE	1606	-	-	-
8115, 8125, 8135	Flat	1600	-	101R1	7007, 7037, 7057
8116, 8126, 8136	1-1/2" Square	1601	-	101SR2	-
8117, 8127, 8137	2-1/2" Rolled	1602	-	101SR3	7008-RR, 7038-RR, 7058-RR
8113, 8123, 8133	Surface Mount	1608	-	101Surface Mount	7009, 7039, 7059
1815, 1825, 1835	Flat	-	2409-R1	1025R1	7010, 7030, 7050
1816, 1826, 1836	1-1/2" Square	-	2409-5R	1025SR2	7012, 7032, 7052
1817, 1827, 1837	3" Rolled	-	2409-R3	1025SR3	7013-RR, 7033-RR, 7053-RR
1812, 1822, 1832	4" Rolled	-	-	-	-
1818, 1828, 1838	4-1/2" Rolled	-	-	-	-
1014	NONE	1616	2409-RT	-	7021, 7041, 7061
1015, 1025, 1035	Flat	1610	2409-R2	1026R1	7020, 7040, 7060
1016, 1026, 1036	1-1/2" Square	1611	2409-R7	1026SR2	7022, 7042, 7062
1017, 1027, 1037	3" Rolled	1613	2409-6R	1026SR3	7023-RR, 7043-RR, 7063-RR
1012, 1022, 1032	4" Rolled	1614	2409-RA	-	-
1018, 1028, 1038	4-1/2" Rolled	1615	2409-RM	1026SR4	-
1013, 1023, 1033	Surface Mount	1618	2409-SM	1026SM	7024, 7044, 7064
2014	NONE	1626	2712-RT	-	7026, 7046, 7066
2015, 2025, 2035	Flat	1620	2712-R	104R1	7025, 7045, 7065
2016, 2026, 2036	1-1/4"	1621	2712-RK	104SR2	-
2017, 2027, 2037	2-1/2" Rolled	1622	2712-RL	104SR3	7027-RR, 7047-RR, 7067-RR
2012, 2022, 2032	4" Rolled	1624	2712-RA	-	-
2018, 2028, 2038	4-1/2" Rolled	-	2712-RM	104SR4	7028-RR, 7048-RR, 7068-RR
2013, 2023, 2033	Surface Mount	1628	2712-SM	104SM	7029, 7049, 7069
-	Flat	-	3012-R	-	-
-	1-1/4"	-	3012-RK	-	-
-	2-1/2" Rolled	-	3012-RL	-	-
-	4" Rolled	-	3012-RA	-	-
-	4-1/2" Rolled	-	3012-RM	-	-
-	Surface Mount	-	3012-SM	-	-
3015, 3025, 3035	Flat	1630	M3216-R	105R1	-
3016, 3026, 3036	1-1/4"	1631	M3216-RK	105SR2	-
3017, 3027, 3037	2-1/2" Rolled	1632	M3216-RL	105SR3	-
3012, 3022, 3032	4" Rolled	1634	M3216-RA	-	-
3018, 3028, 3038	4-1/2" Rolled	1635	M3216-RM	105SR4	-
3013, 3023, 3033	Surface Mount	1638	M3216-SM	105Surface Mount	-
-	Flat	-	3612-R	-	1708*
-	1-1/4"	-	3612-RK	-	-
-	2-1/2" Rolled	-	3612-RL	-	1738-RR*
-	4" Rolled	-	3612-RA	-	-
-	4-1/2" Rolled	-	3612-RM	-	1748-RR*
-	Surface Mount	-	3612-SM	-	1758*
4015, 4025, 4035	Flat	1640	2720-R	-	-
4016, 4026, 4036	1-1/4"	1641	2720-RK	-	-
4017, 4027, 4037	2-1/2" Rolled	1642	2720-RL	-	-
4012, 4022, 4032	4" Rolled Rolled	1644	2720-RA	-	-
4018, 4028, 4038	4-1/2"	1645	2720-RM	-	-
4013, 4023, 4033	Surface Mount	1648	2720-SM	-	-

* standard steel, or AL for alum, SS for stainless

FIRE PROTECTION EQUIPMENT COMPARISON CHART



FIRE EXTINGUISHER CABINETS (Panorama Series - Frameless Acrylic Door)					
JL INDUSTRIES Steel, Alum, St. Steel	TRIM	FIRE END & CROKER	LARSEN'S*	MODERN METAL	POTTER ROEMER Steel, Alum, St. Steel
1815, 1825, 1835	Flat	-	G2409-R1	T1025R1	7110, 7130, 7150
1816, 1826, 1836	1-1/2" Square	-	G2409-5R	T1025SR2	-
1817, 1827, 1837	3" Rolled	-	G2409-R3	T1025SR3	7112-RR, 7132-RR, 7152-RR
1812, 1822, 1832	4" Rolled	-	-	-	-
1818, 1828, 1838	4-1/2" Rolled	-	-	-	7113, 7133, 7153
1014	NONE	-	G2409-RT	-	7121, 7141, 7161
1015, 1025, 1035	Flat	-	G2409-R2	T1026R1	7120, 7140, 7160
1016, 1026, 1036	1-1/2" Square	-	G2409-R7	T1026SR2	-
1017, 1027, 1037	3" Rolled	-	G2409-6R	T1026SR3	7122-RR, 7142-RR, 7162-RR
1012, 1022, 1032	4" Rolled	-	G2409-RA	-	-
1018, 1028, 1038	4-1/2" Rolled	-	G2409-RM	T1026SR4	-
1013, 1023, 1033	Surface Mount	-	G2409-SM	T1026SM	7124, 7144, 7164
2014	NONE	-	G2712-RT	-	7126, 7146, 7166
2015, 2025, 2035	Flat	-	G2712-R	T104R1	7125, 7145, 7165
2016, 2026, 2036	1-1/4"	-	G2712-RK	T104SR2	-
2017, 2027, 2037	2-1/2" Rolled	-	G2712-RL	T104SR3	7127-RR, 7147-RR, 7167-RR
2012, 2022, 2032	4" Rolled	-	G2712-RA	-	-
2018, 2028, 2038	4-1/2" Rolled	-	G2712-RM	T104SR4	7128-RR, 7148-RR, 7168-RR
2013, 2023, 2033	Surface Mount	-	G2712-SM	T104-SM	7129, 7149, 7169
-	Flat	-	G3012-R	-	-
-	1-1/4"	-	G3012-RK	-	-
-	2-1/2" Rolled	-	G3012-RL	-	-
-	4" Rolled	-	G3012-RA	-	-
-	4-1/2" Rolled	-	G3012-RM	-	-
-	Surface Mount	-	G3012-SM	-	-
3015, 3025, 3035	Flat	-	GM3216-R	T105R1	-
3016, 3026, 3036	1-1/4"	-	GM3216-RK	T105SR2	-
3017, 3027, 3037	2-1/2" Rolled	-	GM3216-RL	T105SR3	-
3012, 3022, 3032	4" Rolled	-	GM3216-RA	-	-
3018, 3028, 3038	4-1/2" Rolled	-	GM3216-RM	T105SR4	-
3013, 3023, 3033	Surface Mount	-	GM3216-SM	T105SM	-
-	Flat	-	G3612-R	-	-
-	1-1/4"	-	G3612-RK	-	-
-	2-1/2" Rolled	-	G3612-RL	-	-
-	4" Rolled	-	G3612-RA	-	-
-	4-1/2" Rolled	-	G3612-RM	-	-
-	Surface Mount	-	G3612-SM	-	-
4015, 4025, 4035	Flat	-	G2720-R	-	-
4016, 4026, 4036	1-1/4"	-	G2720-RK	-	-
4017, 4027, 4037	2-1/2" Rolled	-	G2720-RL	-	-
4012, 4022, 4032	4" Rolled	-	G2720-RA	-	-
4018, 4028, 4038	4-1/2" Rolled	-	G2720-RM	-	-
4013, 4023, 4033	Surface Mount	-	G2720-SM	-	-

* standard steel, or AL for alum, SS for stainless



FIRE PROTECTION EQUIPMENT COMPARISON CHART



FIRE EXTINGUISHER CABINETS: (Clear Vu Bubble Cabinet Series)					
JL INDUSTRIES Steel, Alum, St. Steel, Bronze, Brass	TRIM STYLE	FIRE END & CROKER*	LARSEN'S*	MODERN METAL	POTTER ROEMER Steel, Alum, St. Steel, Bronze, Brass
1515, 1525, 1535, 1545, 1555	Flat	1650	C2409-R	118R1	7320, 7340, 7360, -, 7380
1516, 1526, 1536, 1546, 1556	1-1/2" Square	1651	C2409-5R	118SR2	7322, 7342, 7362, -, 7382
1517, 1527, 1537, 1547, 1557	3" Rolled	1652	C2409-6R	118SR3	-
1513, 1523, 1533, 1543, 1553	Surface Mount	1658	C2409-SM	-	7324, 7344, 7364, -, 7384
2515, 2525, 2535, 2545, 2555	Flat	1660	C3216-R	120R1	7325, 7345, 7365, -, 7385
2516, 2526, 2536, 2546, 2556	1-1/2" Square	1661	-	120SR2	-
2517, 2527, 2537	2-1/2" Square	1662	C3216-RL	120SR3	7327, 7347, 7367, -, 7387
2513, 2523, 2533, 2543, 2553	Surface Mount	1668	C3216-SM	-	7329, 7349, 7369, -, 7389
4515, 4525, 4535	Flat	1670	C3228-R	-	-
4513, 4523, 4533	Surface Mount	1678	C3228-SM	-	-
FIRE EXTINGUISHER CABINETS: (Embassy Trimless Recessed Cabinet Series)					
JL INDUSTRIES Steel, Alum, St. Steel, Bronze, Brass	TRIM STYLE	F.E. & CROKER	LARSEN'S*	MODERN METAL	POTTER ROEMER Steel, Alum, St. Steel / Steel
5614, 5624, 5634, 5644, 5654	NONE	-	O-2409	-	7220, 7240, 7260, -, 7280
5714, 5724, 5734, 5744, 5754	NONE	-	O-3216	-	7225, 7245, 7265, -, 7285
5814, 5824, 5834, 5844, 5854	NONE	-	O-3232	-	-
5914, 5924, 5934, 5944, 5954	NONE	-	O-4016	-	8225, 8245, 8265, -, -
5514, 5524, 5534, 5544, 5554	NONE	-	O-1818	-	8220, 8240, 8260, -, -
FIRE EXTINGUISHER CABINETS: (Cavaller Series - Bronze or Brass)					
JL INDUSTRIES Bronze, Brass	TRIM STYLE	F.E. & CROKER	LARSEN'S Bronze, Brass	MODERN METAL	POTTER ROEMER Bronze, Brass
1845, 1855	Flat	-	BZ, B 2409-R1	-	-, 7070
1846, 1856	1-1/2" Square	-	BZ, B 2409-5R	-	-, -
1847, 1857	3" Rolled	-	BZ, B 2409-R3	-	-, 7072-RR
1045, 1055	Flat	-	BZ, B 2409-R2	-	-, 7080
1046, 1056	1-1/2" Square	-	BZ, B 2409-R7	-	-, -
1047, 1057	3" Rolled	-	BZ, B 2409-6R	-	-, 7082-RR
1043, 1053	Surface Mount	-	BZ, B 2409-SM	-	-, 7084
2045, 2055	Flat	-	BZ, B 2712-R	-	-, 7085
2046, 2056	1-1/2" Square	-	BZ, B 2712-RK	-	-, -
2043, 2053	Surface Mount	-	-	-	-, 7089
SPECIALTY CABINETS: Fire Blanket Cabinets					
JL INDUSTRIES	TRIM STYLE	F.E. & CROKER	LARSEN'S	MODERN METAL	POTTER ROEMER
9519S21	Surface Mount	7162	FB68-6	-	6601
9613S21	Surface Mount	7164	FB1016	601-B	6603
SPECIALTY CABINETS: Fire Blanket & Extinguisher Cabinets					
JL INDUSTRIES Steel, Alum, St. Steel	TRIM STYLE	F.E. & CROKER	LARSEN'S	MODERN METAL	POTTER ROEMER
3615, 3625, 3635	Flat	-	FB3612-R	-	6605
3616, 3626, 3636	1-1/2" Square	-	FB3612-RK	-	-
3617, 3627, 3637	2-1/2" Rolled	-	FB3612-RL	-	6607-RR
3612, 3622, 3632	4" Rolled	-	FB3612-RA	-	-
3618, 3628, 3638	4-1/2" Rolled	-	FB3612-RM	-	-
3613, 3623, 3633	Surface Mount	-	FB3612-SM	-	6609

* standard steel, or AL for alum, SS for stainless FPC 1/25/2017



FIRE PROTECTION EQUIPMENT COMPARISON CHART



FIRE HOSE AND VALVE CABINETS (Crowline Series)					
JL INDUSTRIES Steel, Alum, St. Steel	TRIM STYLE	FIRE END & CROKER*	LARSEN'S*	MODERN METAL	POTTER ROEMER* Steel, Alum, St. Steel
6014	NONE	1006	-	-	1012
6015, 6025, 6035	Flat	1000	-	-	1002
6016, 6026, 6036	1-1/4" Square	1001	-	-	-
6017, 6027, 6037	2-1/2" Rolled	1002	-	-	1022-RR
6013, 6023, 6039	Surface Mount	1008	-	-	1052
6114	NONE	1106	VC2430-RT	-	1112
6115, 6125, 6135	Flat	1100	VC2430-R	-	1102
6116, 6126, 6136	1-1/4" Square	1101	VC2430-RK	-	-
6117, 6127, 6137	2-1/2" Rolled	1102	VC2430-RL	-	1122-RR
6113, 6123, 6139	Surface Mount	1108	VC2430-SM	-	1152
6214	NONE	1016	-	-	1014
6215, 6225, 6235	Flat	1010	-	-	1004
6216, 6226, 6236	1-1/4" Square	1011	-	-	-
6217, 6227, 6237	2-1/2" Rolled	1012	-	-	1024-RR
6213, 6223, 6239	Surface Mount	1018	-	-	1054
6314	NONE	-	HC3030-RT	-	1412
6315, 6325, 6335	Flat	-	HC3030-R	-	1402
6316, 6326, 6336	1-1/4" Square	-	HC3030-RK	-	-
6317, 6327, 6337	2-1/2" Rolled	-	HC3030-RL	-	1432-RR
6313, 6323, 6339	Surface Mount	-	HC3030-SM	-	1452
6414	NONE	1116	HC2434-RT	-	1114/1214
6415, 6425, 6435	Flat	1110	HC2434-R	-	1104/1204
6416, 6426, 6436	1-1/4" Square	1111	HC2434-RK	-	-
6417, 6427, 6437	2-1/2" Rolled	1112	HC2434-RL	-	1124-RR/1224-RR
6413, 6423, 6439	Surface Mount	1118	HC2434-SM	-	1154/1254
6514	NONE	1306/1406	HC3234-RT	-	1414/1514
6515, 6525, 6535	Flat	1300/1400	HC3234-R	-	1404/1504
6516, 6526, 6536	1-1/4" Square	1301/1401	HC3234-RK	-	-
6517, 6527, 6537	2-1/2" Rolled	1302/1402	HC3234-RL	-	1434-RR/1534-RR
6513, 6523, 6539	Surface Mount	1308/1408	HC3234-SM	-	1454/1554
6614	NONE	1126/1206	HC2438-RT	-	1116/1216
6615, 6625, 6635	Flat	1120/1200	HC2438-R	-	1106/1206
6616, 6626, 6636	1-1/4" Square	1121/1201	HC2438-RK	-	-
6617, 6627, 6637	2-1/2" Rolled	1122/1202	HC2438-RL	-	1126-RR/1226-RR
6613, 6623, 6639	Surface Mount	1128/1208	HC2438-SM	-	1156/1256
7214	NONE	1216/1316/1416	HC3238-RT	-	1416/1516
7215, 7225, 7235	Flat	1210/1310/1410	HC3238-R	-	1406/1506
7216, 7226, 7236	1-1/4"	1211/1311/1411	HC3238-RK	-	-
7217, 7227, 7237	2-1/2" Rolled	1212/1312/1214	HC3238-RL	-	1436-RR/1536-RR
7213, 7223, 7239	Surface Mount	1218/1318/1418	HC3238-SM	-	1456/1556

* standard steel, or AL for alum, SS for stainless



FIRE PROTECTION EQUIPMENT COMPARISON CHART



FIRE HOSE AND VALVE CABINETS (Crownline Series—Continued)

JL INDUSTRIES Steel, Alum, St. Steel	TRIM STYLE	FIRE END & CROKER*	LARSEN'S*	MODERN MET- AL	POTTER ROEMER Steel, Alum, St. Steel / Steel
8014	NONE	1776	VC4016-RT	-	8026, 8046, 8066 / 1871*
8015, 8025, 8035	Flat	1770	VC4016-R	-	8025, 8045, 8065 / 1870*
8016, 8026, 8036	1-1/4" Square	1771	VC4016-RK	-	-
8017, 8027, 8037	2-1/2" Rolled	1772	VC4016-RL	-	8027-RR, 8047-RR, 8067-RR / 1872-RR*
8013, 8023, 8039	Surface Mount	1778	VC4016-SM	-	8029, 8049, 8069 / 1875*
8414	NONE	1716	-	-	-
8415, 8425, 8435	Flat	1710	-	-	-
8416, 8426, 8436	1-1/4" Square	1711	-	-	-
8417, 8427, 8437	2-1/2" Rolled	1712	-	-	-
8413, 8423, 8439	Surface Mount	1718	-	-	-
8514	NONE	1706	VC1818-RT	-	8021, 8041, 8061 / 1811*
8515, 8525, 8535	Flat	1700	VC1818-R	-	8020, 8040, 8060 / 1810*
8516, 8526, 8536	1-1/4" Square	1701	VC1818-RK	-	-
8517, 8527, 8537	2-1/2" Rolled	1702	VC1818-RL	-	8022-RR, 8042-RR, 8062-RR / 1812-RR*
8513, 8523, 8539	Surface Mount	1708	VC1818-SM	-	8024, 8044, 8064 / 1815*
8614	NONE	1726	-	-	1831*
8615, 8625, 8635	Flat	1720	-	-	1830*
8616, 8626, 8636	1-1/4" Square	1721	-	-	-
8617, 8627, 8637	2-1/2" Rolled	1722	-	-	1832-RR*
8613, 8623, 8639	Surface Mount	1728	-	-	1835*
8714	NONE	-	VC2626-RT	-	-
8715, 8725, 8725	Flat	-	VC2626-R	-	-
8716, 8726, 8736	1-1/4" Square	-	VC2626-RK	-	-
8717, 8727, 8737	2-1/2" Rolled	-	VC2626-RL	-	-
8713, 8723, 8739	Surface Mount	-	VC2626-SM	-	-

SPECIALTY CABINETS: Fire Hose Equipment Cabinets

JL INDUSTRIES	FIRE END & CROKER	LARSEN'S	POTTER ROEMER
With Legs HECIGL W/O Legs HECIGR	7022	15-58	6030

COMPLIANCE CABINETS: Classic Series

JL INDUSTRIES GALV. STEEL	JL INDUSTRIES ALUMINUM	OLD	TRIM	FIRE END & CROKER	LARSEN'S	MODERN METAL (steel)	POTTER ROEMER
9163Z30	9123Z30	99G	Surf. Mt.	-	-	510SMG	9721/9751
916AZ30	912AZ30	99GT	2-3/4"	-	-	510SR	9731**
9263Z30	9223Z30	999G	Surf. Mt.	-	-	530SMG	9722/9752
926AZ30	922AZ30	999GT	2-3/4"	-	-	530SR	9732**
936AZ30	932AZ30	104GT	4-1/2"	-	-	-	-
9363Z30	9323Z30	104G	Surf. Mt.	-	-	550SMG	9723**

* standard steel, or AL for alum, SS for stainless

** discontinued in 2002



FIRE PROTECTION EQUIPMENT COMPARISON CHART



CABINET DOOR STYLES

JL	DESCRIPTION	FIRE END & CROKER	LARSEN'S	MODERN METAL	POTTER ROEMER
B10	Solid w/acrylic insert & SAF-T-LOK™	SBG	-	-	-E
D	Horiz. Duo panel w/pull handle	D	Horizontal duo	Duo	-D
E	Horiz. Duo panel w/pull & SAF-T-LOK™	D w/lock	Horz. duo w/Larsen-Loc®	-	-D w/BK
F	Full glass w/ pull handle	A	Full panel	Full glass	-A
G	Full glass w/pull & SAF-T-LOK™	A w/lock	Full panel w/Larsen-Loc®	Break glass	-B
L22	Solid w/pull & SAF-T-LOK™, no glazing	E w/lock	Solid w/Larsen-Loc	-	-FS
S21	Solid w/pull, no glazing (except Embass)	E	Solid	Solid	-F
V	Vertical Duo Panel w/pull handle	DV	Vertical duo	Vertical duo	-DV
W	Vertical Duo Panel w/pull & SAF-T-LOK™	DV w/lock	Vert. duo w/Larsen-Loc®	-	-DVL

PANORAMA DOOR STYLES

C70	Clear acrylic with pull	-	Clear no letters	Clear	Buena A16
C71	Clear acrylic with pull & SAF-T-LOK™	-	Clear no letters, Larsen-Loc	Clear with lock	Buena E16
P	Colored acrylic with pull	-	Colored w/letters	Clear w/letters	A (17-20)
Q	Colored acrylic with pull & SAF-T-LOK™	-	Colored letters, Larsen-Loc	Clear letters, lock	E (17-20)

CABINET DOOR GLAZING

JL	DESCRIPTION	FIRE END & CROKER	LARSEN'S	MODERN METAL	POTTER ROEMER
10	Clear acrylic	Clear acrylic	Clear acrylic	Clear acrylic	- 6, Clear acrylic
13	Clear wired glass with safety film	Clear wire w/safety film	Clear wire	Clear wire	-
15	1/4" bronze acrylic	-	Bronze acrylic	Bronze acrylic	- 7, Amber acrylic
16	1/4" gray acrylic	-	Gray acrylic	Gray acrylic	- 9, Smoke acrylic
17	Clear tempered glass	Clear temp glass	Clear temp.	Tempered glass	Clear temp (std)
18	Clear safety glass	Laminated safety glass	Safety glass	-	Safety glass
25	Clear Bubble (15, 25, 45 size)	Clear	Clear bubble	-	BA6
26	Clear Red Bubble (15, 25, 45 size)	Specify	Red bubble	-	-
27	Clear Bronze Bubble (15, 25, 45 size)	Specify	Bronze bubble	-	BA7

PANORAMA GLAZING STYLES

40	3/16" Black acrylic with white "V" letter	-	Black w/white "V"	W-B, vertical	-
41	3/16" Red acrylic with white "V" letter	-	Red w/white "V"	W-R, vertical	20-VW
42	3/16" White acrylic with black "V" letter	-	White w/black "V"	B-W, vertical	18-VB
43	3/16" White acrylic with red "V" letter	-	White w/red "V"	R-W, vertical	18-VR
45	3/16" Black acrylic with white "H" letter	-	Black w/white "H"	W-B, horizontal	-
46	3/16" Red acrylic with white "H" letter	-	Red w/white "H"	W-R, horizontal	20-HW
47	3/16" White acrylic with black "H" letter	-	White w/black "H"	B-W, horizontal	18-HB
48	3/16" White acrylic with red "H" letter	-	White w/red "H"	R-W, horizontal	18-HR
50	3/16" Black acrylic with white "A" letter	-	Black w/white "A"	-	-
51	3/16" Red acrylic with white "A" letter	-	Red w/white "A"	-	20-VAW
52	3/16" White acrylic with black "A" letter	-	White w/black "A"	-	18-VAB
53	3/16" White acrylic with red "A" letter	-	White w/red "A"	-	18-VAR
70	Clear 1/4" acrylic	-	Clear	Clear	Buena A16
71	Clear 1/4" acrylic with SAF-T-LOK™	-	Clear, Larsen-Loc	Clear with lock	Buena E16



FPCC 1/25/2017

