



Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-3541
info@ameraproducts.com



TABLE OF CONTENTS

SINGLE DOOR MEDICINE CABINETS

Deluxe Series	5
Euroline Series	7
Euroline II Series	9
Premier Series	11
Residential Series	13
Round Corner Series	15
Accessible Series	16
Builders Grade Series	17
Stainless Steel Series	18

DUAL DOOR | TRI-DOOR MEDICINE CABINETS

Dual Door Series	19
Premier Series	20
Stainless Steel Series	21
Tri-View Series	23

CORNER MEDICINE CABINETS

Corner Series	25
-------------------------	----

LOCKABLE MEDICINE CABINETS

Lockable Series	27
---------------------------	----

SLIDING DOOR MEDICINE CABINETS

Sliding Door Series	28
-------------------------------	----

COSMETIC MEDICINE CABINETS

Cosmetic Series	29
---------------------------	----

ILLUMINATED LED MEDICINE CABINETS

Premier Illuminated Series	31
Deluxe Illuminated Series	32
Sliding Door Illuminated Series	33
Tri-View Illuminated Series	34

LED MIRRORS

Aurora Series	37
Aurora + Series	37
Luminous Series	39
Luminous + Series	39
Nova Series	41
Nova + Series	41
Radiant Series	43
Radiant + Series	43
Stellar Series	45
Stellar + Series	45
Orbit Series	47
Orbit + Series	47
Ellipse Series	49
Ellipse + Series	49

WASHROOM MIRRORS

Accessible Mirror Series	51
Stainless Steel Mirror Series	52
Theft Proof Mirror Series	53

ADDITIONAL FEATURES

Additional Features	54
-------------------------------	----

PRODUCT CARE / QUALITY GUARANTEE

Product Care	55
------------------------	----





MEDICINE CABINETS

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-3541
info@ameraproducts.com

DELUXE *Series*

Our Deluxe Series medicine cabinets are fabricated from a rust resistant white baked enamel finish on 20 gauge steel. Full length piano hinges, 3/16" mirror, and tempered glass shelves ensure lifelong durability, beauty, and traditional style. These cabinets also meet criteria for stringent HUD housing and federal specifications without looking institutional.

Specifications: White baked enamel steel 20 gauge rust resistant bodies and doors.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on a full length piano hinge and are equipped with a magnetic door catch. Cabinets can be inverted in the field for right or left door swing.

Shelves: 1/4" adjustable tempered glass shelves mounted on locking adjustable aluminum shelf clips.

Surface Mounted

Stainless Steel Framed	Polished Edge Mirror	Beveled Edge Mirror	Overall Size W x H x D	Glass Shelves
160-SM	160PE-SM	160BV-SM	14" x 20" x 4 1/4"	2
170-SM	170PE-SM	170BV-SM	12" x 36" x 4 1/4"	4
172-SM	172PE-SM	172BV-SM	16" x 22" x 4 1/4"	2
173-SM	173PE-SM	173BV-SM	16" x 30" x 4 1/4"	3
174-SM	174PE-SM	174BV-SM	18" x 24" x 4 1/4"	3
175-SM	175PE-SM	175BV-SM	16" x 26" x 4 1/4"	3
176-SM	176PE-SM	176BV-SM	20" x 26" x 4 1/4"	3
177-SM	177PE-SM	177BV-SM	16" x 36" x 4 1/4"	4
178-SM	178PE-SM	178BV-SM	18" x 36" x 4 1/4"	4
179-SM	179PE-SM	179BV-SM	18" x 42" x 4 1/4"	4
180-SM	180PE-SM	180BV-SM	18" x 60" x 4 1/4"	5
181-SM	181PE-SM	181BV-SM	18" x 30" x 4 1/4"	3
182-SM	182PE-SM	182BV-SM	20" x 30" x 4 1/4"	3
184-SM	184PE-SM	184BV-SM	24" x 24" x 4 1/4"	3
190-SM	190PE-SM	190BV-SM	24" x 30" x 4 1/4"	4
192-SM	192PE-SM	192BV-SM	24" x 36" x 4 1/4"	4

Looking for full length or tall medicine cabinets?

Look for models starting with 179 for extra length!

Check out any models starting with 180 for a full length look!



180-SM



Stainless Steel Framed Mirror



Polished Edge Mirror



Beveled Edge Mirror

Recessed

Stainless Steel Framed	Polished Edge Mirror	Beveled Edge Mirror	Overall Size W x H x D	Wall Opening W x H x D	Glass Shelves
160	160PE	160BV	14" x 20" x 4 1/2"	12" x 18 1/4" x 3 1/8"	2
170	170PE	170BV	12" x 36" x 4 1/2"	10" x 34 1/4" x 3 1/8"	4
171	171PE	171BV	16" x 22" x 4 1/2"	14" x 18 1/4" x 3 1/8"	2
172	172PE	172BV	16" x 22" x 4 1/2"	14" x 20 1/4" x 3 1/8"	2
173	173PE	173BV	16" x 30" x 4 1/2"	14" x 28 1/4" x 3 1/8"	3
174	174PE	174BV	18" x 24" x 4 1/2"	16" x 22 1/4" x 3 1/8"	3
175	175PE	175BV	16" x 26" x 4 1/2"	14" x 24 1/4" x 3 1/8"	3
176	176PE	176BV	20" x 26" x 4 1/2"	18" x 24 1/4" x 3 1/8"	3
177	177PE	177BV	16" x 36" x 4 1/2"	14" x 34 1/4" x 3 1/8"	4
178	178PE	178BV	18" x 36" x 4 1/2"	16" x 34 1/4" x 3 1/8"	4
179	179PE	179BV	18" x 42" x 4 1/2"	16" x 40 1/4" x 3 1/8"	4
180	180PE	180BV	18" x 60" x 4 1/2"	16" x 58 1/4" x 3 1/8"	5
181	181PE	181BV	18" x 30" x 4 1/2"	16" x 28 1/4" x 3 1/8"	3
182	182PE	182BV	20" x 30" x 4 1/2"	18" x 28 1/4" x 3 1/8"	3
184	184PE	184BV	24" x 24" x 4 1/2"	22" x 22 1/4" x 3 1/8"	3
190	190PE	190BV	24" x 30" x 4 1/2"	22" x 28 1/4" x 3 1/8"	4
192	192PE	192BV	24" x 36" x 4 1/2"	22" x 34 1/4" x 3 1/8"	4

Projection is 1 1/2" for the above models

SINGLE DOOR



Distributed by
www.AmeraProducts.com
Phone: (800) 608-6548
Fax: (409) 840-5545
info@ameraproducts.com



131PE

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-3541
info@ameraproducts.com

EUROLINE *Series*

Our Euroline Series medicine cabinets are designed for a contemporary modern look. European style hinging allows for the door to pivot over the body of the cabinet creating a clean aesthetic. Beautifully crafted white baked enamel steel interior provides a rust resistant finish. These modern cabinets can be installed together in tandem or alongside a mirror for a sleek design. Mirrored side kits are available for surface mounted units.

Specifications: White baked enamel steel 20 gauge rust resistant bodies and doors.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on European style cabinet hinges and are equipped with a magnetic touch latch. Cabinets can be inverted in the field for right or left door swing.

Shelves: 1/4" adjustable tempered glass shelves mounted on locking adjustable aluminum shelf clips.

Surface Mounted

Stainless Steel Framed	Polished Edge Mirror	Beveled Edge Mirror	Overall Size W x H x D	Glass Shelves	Optional Mirrored Sides
121-SM	121PE-SM	121BV-SM	13 1/2" x 36" x 3 1/4"	3	MS-336
123-SM	123PE-SM	123BV-SM	16" x 22" x 3 1/4"	2	MS-322
125-SM	125PE-SM	125BV-SM	16" x 26" x 3 1/4"	3	MS-326
126-SM	126PE-SM	126BV-SM	16" x 30" x 3 1/4"	3	MS-330
127-SM	127PE-SM	127BV-SM	18" x 24" x 3 1/4"	3	MS-324
129-SM	129PE-SM	129BV-SM	16" x 36" x 3 1/4"	4	MS-336
131-SM	131PE-SM	131BV-SM	18" x 36" x 3 1/4"	4	MS-336
133-SM	133PE-SM	133BV-SM	18" x 42" x 3 1/4"	5	MS-342
135-SM	135PE-SM	135BV-SM	18" x 52" x 3 1/4"	7	MS-352

Looking for full length or tall medicine cabinets?

Look for models starting with 133 for extra length!

Check out any models starting with 135 for a full length look!



135-SM



Stainless Steel Framed Mirror



Polished Edge Mirror



Beveled Edge Mirror

Flush Mounted

Stainless Steel Framed	Polished Edge Mirror	Beveled Edge Mirror	Overall Size W x H x D	Wall Opening W x H x D	Glass Shelves
121	121PE	121BV	13 1/2" x 36" x 3 5/16"	12 1/2" x 34 1/2" x 3 1/8"	3
123	123PE	123BV	16" x 22" x 3 5/16"	15" x 20 1/2" x 3 1/8"	2
125	125PE	125BV	16" x 26" x 3 5/16"	15" x 24 1/2" x 3 1/8"	3
126	126PE	126BV	16" x 30" x 3 5/16"	15" x 28 1/2" x 3 1/8"	3
127	127PE	127BV	18" x 24" x 3 5/16"	17" x 22 1/2" x 3 1/8"	3
129	129PE	129BV	16" x 36" x 3 5/16"	15" x 34 1/2" x 3 1/8"	4
131	131PE	131BV	18" x 36" x 3 5/16"	17" x 34 1/2" x 3 1/8"	4
133	133PE	133BV	18" x 42" x 3 5/16"	17" x 40 1/2" x 3 1/8"	5
135	135PE	135BV	18" x 52" x 3 5/16"	17" x 50 1/2" x 3 1/8"	7

Projection is 1/4" for the above models

Partially Recessed

Stainless Steel Framed	Polished Edge Mirror	Beveled Edge Mirror	Overall Size W x H x D	Wall Opening W x H x D	Glass Shelves
121-PR	121PE-PR	121BV-PR	13 1/2" x 36" x 3 1/4"	12 1/2" x 34 1/2" x 2 1/8"	2
123-PR	123PE-PR	123BV-PR	16" x 22" x 3 1/4"	15" x 20 1/2" x 2 1/8"	4
125-PR	125PE-PR	125BV-PR	16" x 26" x 3 1/4"	15" x 24 1/2" x 2 1/8"	2
126-PR	126PE-PR	126BV-PR	16" x 30" x 3 1/4"	15" x 28 1/2" x 2 1/8"	3
127-PR	127PE-PR	127BV-PR	18" x 24" x 3 1/4"	17" x 22 1/2" x 2 1/8"	3
129-PR	129PE-PR	129BV-PR	16" x 36" x 3 1/4"	15" x 34 1/2" x 2 1/8"	3
131-PR	131PE-PR	131BV-PR	18" x 36" x 3 1/4"	17" x 34 1/2" x 2 1/8"	3
133-PR	133PE-PR	133BV-PR	18" x 42" x 3 1/4"	17" x 40 1/2" x 2 1/8"	4
135-PR	135PE-PR	135BV-PR	18" x 52" x 3 1/4"	17" x 50 1/2" x 2 1/8"	4

Projection is 1 1/4" for the above models

SINGLE DOOR



Distributed by
www.AmeraProducts.com
Phone: (800) 608-6548
FAX: (409) 840-5542
info@ameraproducts.com



126PE-MI-SM

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-3541
info@ameraproducts.com

EUROLINE II *Series*

Our Euroline II Series medicine cabinets are designed for a contemporary modern look. Modern slim profile design along with an additional interior mirror behind the shelves provides elegance along with durability. European style hinging allows for the door to pivot over the body of the cabinet creating a clean aesthetic. Beautifully crafted white baked enamel steel interior provides a rust resistant finish. These modern cabinets can be installed together in tandem or alongside a mirror for a sleek design. Mirrored side kits are available for surface mounted units.

Specifications: White baked enamel steel 20 gauge rust resistant bodies and doors.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on European style cabinet hinges and are equipped with a magnetic touch latch. Cabinets can be inverted in the field for right or left door swing.

Shelves: 1/4" adjustable tempered glass shelves mounted on locking adjustable aluminum shelf clips.

Euroline II Series medicine cabinets feature a mirrored interior.



131PE-MI-SM



126PE-MI - Mirrored Interior

Euroline II - Surface Mounted

Polished Edge Mirror	Overall Size W x H x D	Glass Shelves	Optional Mirrored Sides
126PE-MI-SM	16" x 30" x 3 1/4"	3	MS-330
131PE-MI-SM	18" x 36" x 3 1/4"	4	MS-336

Euroline II - Flush Mounted

Polished Edge Mirror	Overall Size W x H x D	Wall Opening W x H x D	Glass Shelves
126PE-MI	16" x 30" x 3 5/16"	15" x 28 1/2" x 3 1/8"	3
131PE-MI	18" x 36" x 3 5/16"	17" x 34 1/2" x 3 1/8"	4

Projection is 1/4" for the above models





AL-2026PE

Distributed by
www.AmeraProducts.com
Phone: (800) 608-6568
Fax: (409) 840-3541
info@ameraproducts.com

PREMIER *Series*

Our Premier Series medicine cabinets provide elegant solutions to your bathroom storage needs. Constructed of brushed satin anodized aluminum, these cabinets combine luxury with a no maintenance finish. Interior and exterior mirrors are set in a superior solid aluminum door construction. Slotted finger pull along the edge and underside of the door allows for easy function. Soft close gravity hinge operation. The cabinets can be installed both recessed and surface mounted. Floating mirrored side kits and hardware are included for either installation.

Single Door

Specifications: Satin anodized rust proof aluminum finish with full mirrored interior.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on heavy duty cabinet hinges and feature a slotted finger pull on the underside of the door. Cabinets can be inverted in the field for right or left door swing.

Shelves: Adjustable tempered glass shelves on locking secure shelf clips.

Surface Mounted or Recessed - Single Door

Polished Edge Mirror	Beveled Edge Mirror	Overall Size W x H x D	Wall Opening W x H x D	Glass Shelves
AL-1536PE	AL-1536BV	15" x 36" x 5 1/4"	14 5/8" x 35 1/2" x 4 1/8"	4
AL-1620PE	AL-1620BV	16" x 20" x 5 1/4"	15 5/8" x 19 1/2" x 4 1/8"	2
AL-1626PE	AL-1626BV	16" x 26" x 5 1/4"	15 5/8" x 25 1/2" x 4 1/8"	3
AL-1630PE	AL-1630BV	16" x 30" x 5 1/4"	15 5/8" x 29 1/2" x 4 1/8"	3
AL-2026PE	AL-2026BV	20" x 26" x 5 1/4"	19 5/8" x 25 1/2" x 4 1/8"	3
AL-2030PE	AL-2030BV	20" x 30" x 5 1/4"	19 5/8" x 29 1/2" x 4 1/8"	3
AL-2036PE	AL-2036BV	20" x 36" x 5 1/4"	19 5/8" x 35 1/2" x 4 1/8"	4
AL-2430PE	AL-2430BV	24" x 30" x 5 1/4"	23 5/8" x 29 1/2" x 4 1/8"	3
AL-2436PE	AL-2436BV	24" x 36" x 5 1/4"	23 5/8" x 35 1/2" x 4 1/8"	4
AL-2440PE	AL-2440BV	24" x 40" x 5 1/4"	23 5/8" x 39 1/2" x 4 1/8"	4

Projection is 1 1/4" for the above models

Surface Mounted - Wide Frame Single Door

Our Premier Series is also available with a wide framed mirror door. This style is designed for functionality, durability, and beauty. This unique cabinet features our brushed satin anodized aluminum construction with laminated safety interior and exterior mirror along with acrylic shelves. Maintenance free construction provides sustainable design and function making this the perfect cabinet for apartment and housing renovation projects.

Wide Frame Single Door

Specifications: Satin anodized rust proof aluminum finish with inset laminated safety glass mirrors featured on the front of the medicine cabinet and behind interior shelving.

Mirrors/Doors: 1 1/2" satin stainless steel mirror wide frame with inset 3/16" laminated safety glass mirror. Doors are mounted on heavy duty cabinet hinges. Cabinets can be inverted for right or left door swing.

Shelves: Adjustable acrylic shelves with multiple shelf positions.

Stainless Steel Wide Frame	Overall Size W x H x D	Acrylic Shelves
AL227WF	18" x 26" x 5"	3



AL227WF - Wide Frame Single Door

SINGLE DOOR

Distributed by
www.AmeraProducts.com
 Phone: (800) 608-6568
 Fax: (409) 840-5541
info@ameraproducts.com



1626BV-SM

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-3541
info@ameraproducts.com

RESIDENTIAL *Series*

Our Residential Series medicine cabinets provide a beautiful aesthetic and functionality at a budget friendly price. Fabricated from 26 gauge white baked enamel steel. These medicine cabinets are available as surface mounted or recessed models. This series is offered in a bright annealed stainless steel framed mirror, polished edge mirror, or a beveled edge mirror.

Specifications: White baked enamel steel 26 gauge rust resistant bodies and doors.

Mirrors/Doors: 1/8" first quality plate glass. Doors are mounted on a full length piano hinge and are equipped with a magnetic door catch. Cabinets can be inverted in the field for right or left door swing.

Shelves: 1/4" adjustable tempered glass shelves mounted on locking adjustable aluminum shelf clips.



1626-SM



1626PE-SM



1626BV-SM

Surface Mounted

Stainless Steel Framed	Polished Edge Mirror	Beveled Edge Mirror	Overall Size W x H x D	Glass Shelves
1622-SM	1622PE-SM	1622BV-SM	16" x 22" x 4"	2
1626-SM	1626PE-SM	1626BV-SM	16" x 26" x 4"	3
1636-SM	1636PE-SM	1636BV-SM	16" x 36" x 4"	3

Recessed

Stainless Steel Framed	Polished Edge Mirror	Beveled Edge Mirror	Overall Size W x H x D	Wall Opening W x H x D	Glass Shelves
1622	1622PE	1622BV	16" x 22" x 4 1/4"	14" x 18" x 3 1/2"	2
1626	1626PE	1626BV	16" x 26" x 4 1/4"	14" x 24" x 3 1/2"	3
1636	1636PE	1636BV	16" x 36" x 4 1/4"	14" x 34" x 3 1/2"	3

Projection is 3/4" for the above models

SINGLE DOOR





105RSWT-REC

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-3541
info@ameraproducts.com

ROUND CORNER *Series*

Our Round Corner Series medicine cabinets feature the timeless mid century modern look. A beautifully crafted rounded frame provides a smooth edge and a classic look. A sturdy bar door stop prevents the door from opening more than 90°. Acrylic shelves provide durability and low maintenance operation. Ideal cabinet for HUD housing and federal specification projects.

Specifications: White baked enamel steel 20 gauge rust resistant bodies and doors.

Mirrors/Doors: 3/16" first quality plate glass framed with bright annealed round corner stainless steel. Doors are mounted on a full length piano hinge and are equipped with a magnetic door catch.

Shelves: Adjustable acrylic shelves mounted on locking adjustable aluminum shelf clips.



105RSWT-LH



105RSWT-LH - Open

Surface Mounted

Round Corner Stainless Steel Frame	Overall Size W x H x D	Acrylic Shelves	Door Swing
105RSWT-LH	16" x 22" x 4 3/4"	3	Left
105RSWT-RH	16" x 22" x 4 3/4"	3	Right
105RSWT-HC-L	16" x 28" x 4 3/4"	3	Left
105RSWT-HC-R	16" x 28" x 4 3/4"	3	Right

Recessed

Round Corner Stainless Steel Frame	Overall Size W x H x D	Wall Opening W x H x D	Acrylic Shelves	Door Swing
105RSWT-REC	16" x 22" x 5"	14" x 18" x 3 1/8"	3	Reversible

Projection is 2" for the above model



ACCESSIBLE *Series*

Our Accessible Series medicine cabinets are equipped with inclusive design features for people of different abilities. A tilting mirror door equipped with bullet latch operation can accommodate users in a seated or standing position.

Specifications: White baked enamel steel 20 gauge rust resistant bodies and doors.

Mirrors/Doors: 3/16" first quality plate glass framed with bright annealed stainless steel. Doors are mounted on a full length piano hinge and are equipped with a magnetic door catch. Tilt mirror operates on two heavy duty elbow hinges and is secured with two bullet type latches; one to secure the tilted mirror in place and one to hold the door closed. Doors are hinged on the left.

Shelves: 1/4" adjustable tempered glass shelves mounted on locking adjustable aluminum shelf clips.



174-HCSM - Mirror Tilted



174-HCSM - Open

SINGLE DOOR

Surface Mounted

Stainless Steel Framed	Overall Size W x H x D	Glass Shelves
172-HCSM	16" x 22" x 5 3/4"	2
173-HCSM	16" x 30" x 5 3/4"	3
174-HCSM	18" x 24" x 5 3/4"	3
175-HCSM	16" x 26" x 5 3/4"	3

Recessed

Stainless Steel Framed	Overall Size W x H x D	Wall Opening W x H x D	Glass Shelves
172-HC	16" x 22" x 5 5/8"	14" x 20" x 3 1/8"	2
173-HC	16" x 30" x 5 5/8"	14" x 28" x 3 1/8"	3
174-HC	18" x 24" x 5 5/8"	16" x 22" x 3 1/8"	3
175-HC	16" x 26" x 5 5/8"	14" x 24" x 3 1/8"	3

Projection is 2 5/8" for the above models

Distributed by
www.AmeraProducts.com
 Phone: (800) 608-6568
 Fax: (409) 840-3945
info@ameraproducts.com



BUILDERS GRADE *Series*

Our Builders Grade Series medicine cabinets satisfy the budget conscious design without sacrificing quality. Made of either durable rust proof polystyrene or white baked enamel steel construction. Available in either a decorative beveled mirror or a bright annealed stainless steel mirror trim.

Polystyrene

Specifications: White high impact injection molded polystyrene rust proof medicine cabinet.

Mirrors/Doors: 1/8" first quality plate glass. Doors are mounted on a piano hinge and are equipped with a magnetic door catch. Cabinets can be inverted in the field for right or left door swing.

Shelves: Two adjustable plastic shelves.



661BV - Polystyrene

Recessed - Polystyrene

Stainless Steel Framed	Beveled Edge Mirror	Overall Size W x H x D	Wall Opening W x H x D	Plastic Shelves
-	661BV	16" x 20" x 3 1/2"	14" x 18" x 2 7/8"	2
672	-	16 1/4" x 22 3/16" x 3 5/8"	14" x 18" x 2 7/8"	3

Projection is 3/4" for the above models



675BV - Deep Drawn

Deep Drawn

Specifications: White baked enamel steel 26 gauge rust resistant bodies, doors, and shelves.

Mirrors/Doors: Doors are mounted on a full length piano hinge and are equipped with a magnetic door catch. Cabinets can be inverted for right or left door swing.

Shelves: Two adjustable metal shelves.

Recessed - Deep Drawn

Stainless Steel Framed	Beveled Edge Mirror	Overall Size W x H x D	Wall Opening W x H x D	Metal Shelves
675	675BV	16" x 26" x 3 3/4"	14" x 24" x 3 3/8"	2

Projection is 1/2" for the above models

SINGLE DOOR



STAINLESS STEEL *Series*

Our Stainless Steel Series medicine cabinets feature a rust proof 22 gauge satin stainless steel construction. Sustainable, durable, and virtually maintenance free, these cabinets are designed for a lifetime of use. The single door with suspended shelf medicine cabinets can be installed with or without the suspended shelf. Ideal for dormitory style housing

Single Door

Specifications: 18-8 type 304 satin 22 gauge rust proof stainless steel.

Cabinets can be inverted in the field for right or left door swing.

Mirrors/Doors: 3/16" first quality plate glass framed with bright annealed stainless steel. Doors are mounted on a full length piano hinge and are equipped with a magnetic door catch.

Shelves: Stainless steel shelves mounting on locking adjustable aluminum shelf clips.

Surface Mounted

Stainless Steel Framed	Overall Size W x H x D	Stainless Steel Shelves
174SS-SM	18" x 24" x 4 5/8"	3
175SS-SM	16" x 26" x 4 5/8"	3
181SS-SM	18" x 30" x 4 5/8"	3

Recessed

Stainless Steel Framed	Overall Size W x H x D	Wall Opening W x H x D	Stainless Steel Shelves
174SS	18" x 24" x 4 3/4"	16" x 22" x 3 1/8"	3
175SS	16" x 26" x 4 3/4"	14" x 24" x 3 1/8"	3
181SS	18" x 30" x 4 3/4"	16" x 28" x 3 1/8"	3

Projection is 1 3/4" for the above models



174SS-SM - Single Door



1526-SH - Single Door with Suspended Shelf



1526-SH - Single Door without Suspended Shelf

SINGLE DOOR

Single Door with Suspended Shelf

Specifications: Rust proof 22 gauge 18-8 type 304 satin stainless steel. Cabinets are hinged on the left.

Mirrors/Doors: 1/8" polished edge first quality mirror. Pan doors are 3/4" thick. The doors are equipped with rubber door silencers and European style hinges to allow six way adjustment.

Shelves: Fixed stainless steel shelves. Suspended exterior tempered glass shelf with a polished edge.

Surface Mounted with Suspended Shelf

Polished Edge Mirror	Overall Size W x H x D	Overall Size without Shelf W x H x D	Stainless Steel Shelves
1526-SH	16 1/2" x 30 3/4" x 5 1/2"	15" x 26 1/2" x 4 3/4"	2



DUAL DOOR *Series*

Our Dual Door Series medicine cabinets are fabricated from white baked enamel steel and are available as surface mounted models. This series is offered in a stainless steel trimmed mirror or a polished edge mirror. Each cabinet door is hinged on its respective side, allowing for a symmetrical opening. Ideal for maximizing storage over a vanity or toilet. This cabinet has a full 4" shelf depth.

Specifications: White baked enamel steel 20 gauge rust resistant bodies, doors and shelves.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on soft close gravity hinges that close by using the weight of the door as a constant force.

Shelves: Fixed white baked enamel steel shelves.



DD-2424PE



DD-2430

Surface Mounted

Stainless Steel Trim	Polished Edge Mirror	Overall Size W x H x D	Metal Shelves
DD-2424	DD-2424PE	24" x 24" x 5"	2
DD-2430	DD-2430PE	24" x 30" x 5"	3
DD-2436	DD-2436PE	24" x 36" x 5"	4

PREMIER *Series*

Our Premier Series medicine cabinets provide elegant solutions to your bathroom storage needs. Constructed of brushed satin anodized aluminum, these cabinets combine luxury with a no maintenance finish. Interior and exterior mirrors are set in a superior solid aluminum door construction. Slotted finger pull along the edge and underside of the door allow for easy function. Soft close gravity hinge operation. The cabinets can be installed both recessed and surface mounted. Floating mirrored side kits and hardware are included for either installation.

Specifications: Satin anodized rust proof aluminum finish with full mirrored interior.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on soft close gravity hinges that close by using the weight of the door as a constant force. The cabinet doors feature a slotted finger pull on the underside of the door.

Shelves: Adjustable tempered glass shelves on locking secure shelf clips.



ALD-2625PE



ALTV-2625PE

DUAL DOOR | TRI DOOR

Surface Mounted or Recessed - Dual Door

Polished Edge Mirror	Overall Size W x H x D	Wall Opening W x H x D	Large Door Panel Width	Small Door Panel Width	Glass Shelves
ALD-2625PE	26" x 25 5/8" x 5 1/4"	25 5/8" x 24 3/4" x 4 1/8"	17 1/8"	8 9/16"	2
ALD-3128PE	31 1/2" x 27 9/16" x 5 1/4"	31 1/8" x 26 11/16" x 4 1/8"	19 1/2"	11 11/16"	2

Projection is 1 1/4" for the above models

Surface Mounted or Recessed - Tri Door

Polished Edge Mirror	Overall Size W x H x D	Wall Opening W x H x D	Glass Shelves
ALTV-2625PE	26" x 25 5/8" x 5 1/4"	25 5/8" x 24 3/4" x 4 1/8"	2
ALTV-3128PE	31 1/2" x 27 9/16" x 5 1/4"	31 1/8" x 26 11/16" x 4 1/8"	3
ALTV-3625PE	35 7/16" x 25 5/8" x 5 1/4"	35" x 24 3/4" x 4 1/8"	2
ALTV-4830PE	48 1/2" x 29 3/4" x 5 1/4"	48 1/4" x 29" x 4 1/8"	3

Projection is 1 1/4" for the above models

STAINLESS STEEL *Series*

Our Stainless Steel Series medicine cabinets feature a rust proof 22 gauge satin stainless steel construction. Sustainable, durable, and virtually maintenance free, these cabinets are designed for a lifetime of use. Ideal for dormitory style housing. These medicine cabinets can be installed with or without the suspended shelf.

Specifications: 18-8 type 304 satin 22 gauge rust proof stainless steel.

Mirrors/Doors: 1/8" polished edge first quality mirror. Pan doors are 3/4" thick. The doors are equipped with rubber door silencers. Doors are mounted on soft close gravity hinges that close by using the weight of the door as a constant force.

Shelves: Fixed stainless steel shelves. Suspended exterior tempered glass shelf with a polished edge.



DD-1926-SH with Suspended Shelf



DD-1926-SH without Suspended Shelf



3722-SH with Suspended Shelf



3722-SH without Suspended Shelf

Surface Mounted - Dual Door

Polished Edge Mirror	Overall Size W x H x D	Overall Size without Shelf W x H x D	Stainless Steel Shelves
DD-1926-SH	20 1/2" x 30 3/4" x 5 1/2"	19 3/4" x 26 1/2" x 4 3/4"	2

Surface Mounted - Tri Door

Polished Edge Mirror	Overall Size W x H x D	Overall Size without Shelf W x H x D	Stainless Steel Shelves
3722-SH	38 1/2" x 26 3/4" x 5 1/2"	37 1/2" x 22 3/4" x 4 3/4"	2

DUAL DOOR | TRI DOOR





SM-4836PE

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6548
Fax: (409) 840-3541
info@ameraproducts.com

TRI-VIEW *Series*

Our Tri-View Series medicine cabinets provide solutions for all your storage and styling needs. Three equal sized mirror doors open to a full size body with plenty of storage space. The doors open to provide you with a 180° view. These cabinets have a pan door construction and are mounted on soft close gravity hinges that close by using the weight of the door as a constant force. This style hinge allows the door to pivot over the body of the cabinet, and allow six way door adjustment. The cabinets are equipped with rubber door silencer pads.

Specifications: White baked enamel 20 gauge rust resistant steel bodies, doors and shelves.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on soft close gravity hinges that close by using the weight of the door as a constant force.

Shelves: Fixed white baked enamel steel shelves.

Surface Mounted

Stainless Steel Trim	Polished Edge Mirror	Beveled Edge Mirror	Overall Size W x H x D	Metal Shelves
-	-	SM-2424BV	24" x 24" x 4 3/4"	3
SM-2430	SM-2430PE	SM-2430BV	24" x 30" x 4 3/4"	3
SM-3030	SM-3030PE	SM-3030BV	30" x 30" x 4 3/4"	3
SM-3036	SM-3036PE	SM-3036BV	30" x 36" x 4 3/4"	4
SM-3630	SM-3630PE	SM-3630BV	36" x 30" x 4 3/4"	3
SM-3636	SM-3636PE	SM-3636BV	36" x 36" x 4 3/4"	4
SM-4830	SM-4830PE	SM-4830BV	48" x 30" x 4 3/4"	3
SM-4836	SM-4836PE	SM-4836BV	48" x 36" x 4 3/4"	4
SM-6036	SM-6036PE	SM-6036BV	60" x 36" x 4 3/4"	4

Fully Recessed

Stainless Steel Trim	Polished Edge Mirror	Beveled Edge Mirror	Overall Size W x H x D	Wall Opening W x H x D	Metal Shelves
R-2430	R-2430PE	R-2430BV	24" x 30" x 4 1/8"	22" x 28 1/4" x 3 1/8"	3
R-3030	R-3030PE	R-3030BV	30" x 30" x 4 1/8"	28" x 28 1/4" x 3 1/8"	3
R-3036	R-3036PE	R-3036BV	30" x 36" x 4 1/8"	28" x 34 1/4" x 3 1/8"	4
R-3630	R-3630PE	R-3630BV	36" x 30" x 4 1/8"	34" x 28 1/4" x 3 1/8"	3
R-3636	R-3636PE	R-3636BV	36" x 36" x 4 1/8"	34" x 34 1/4" x 3 1/8"	4
R-4830	R-4830PE	R-4830BV	48" x 30" x 4 1/8"	46" x 28 1/4" x 3 1/8"	3
R-4836	R-4836PE	R-4836BV	48" x 36" x 4 1/8"	46" x 34 1/4" x 3 1/8"	4
R-6036	R-6036PE	R-6036BV	60" x 36" x 4 1/8"	58" x 34 1/4" x 3 1/8"	4

Projection is 1" for the above models

Semi-Recessed

Stainless Steel Trim	Polished Edge Mirror	Beveled Edge Mirror	Overall Size W x H x D	Wall Opening W x H x D	Metal Shelves
SR-2430	SR-2430PE	SR-2430BV	24" x 30" x 5"	23 1/2" x 29 1/4" x 3 1/8"	3
SR-3030	SR-3030PE	SR-3030BV	30" x 30" x 5"	29 1/2" x 29 1/4" x 3 1/8"	3
SR-3036	SR-3036PE	SR-3036BV	30" x 36" x 5"	28 3/4" x 34 1/2" x 3 1/8"	4
SR-3630	SR-3630PE	SR-3630BV	36" x 30" x 5"	35 1/2" x 29 1/4" x 3 1/8"	3
SR-3636	SR-3636PE	SR-3636BV	36" x 36" x 5"	35 1/2" x 35 1/4" x 3 1/8"	4
SR-4830	SR-4830PE	SR-4830BV	48" x 30" x 5"	47 1/2" x 29 1/4" x 3 1/8"	3
SR-4836	SR-4836PE	SR-4836BV	48" x 36" x 5"	47 1/2" x 35 1/4" x 3 1/8"	4
SR-6036	SR-6036PE	SR-6036BV	60" x 36" x 5"	59 1/2" x 35 1/4" x 3 1/8"	4

Projection is 1 3/4" for the above models

TRI DOOR





CMC-1430PE

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-3541
info@ameraproducts.com

CORNER *Series*

Our Corner Series medicine cabinets provide full storage for tight spaces. With a full 9" corner depth these cabinets maximize space while providing classic design. These cabinets are fabricated from 20 gauge white baked enamel steel, and are available as surface mounted models. This series is offered in a polished edge mirror or a beveled edge mirror.

Specifications: White baked enamel steel 20 gauge rust resistant bodies and doors.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on a full length piano hinge and are equipped with a magnetic door catch.

Shelves: Removable 1/4" rounded edge tempered glass shelves mounting on fixed shelf brackets.



CMC-1430PE




CMC-1430PE - Open

Surface Mounted

Polished Edge Mirror	Beveled Edge Mirror	Overall Size W x H x D	Glass Shelves
CMC-1430PE	CMC-1430BV	14" x 30" x 9"	2
CMC-1436PE	CMC-1436BV	14" x 36" x 9"	3



1626L



26L



715K



715SK



915K



LB-3

LOCKABLE *Series*

Our Lockable Series medicine cabinets are available in many options and sizes. Whether its securing prescriptions, over the counter medication, or valuables, these cabinets have you covered. These lockable cabinets allow for medications to be kept in the patient's room while keeping them safe for administration. Ideal for nursing homes and assisted living facilities as well.

1626L - Recessed

White baked enamel steel 26 gauge rust resistant medicine cabinet. Stainless steel framed mirror door with front keyed lock mounted on a full length piano hinge. Adjustable glass shelves mounted on aluminum shelf clips. Cabinet can be inverted for right or left hand installation.

26L - Recessed - Deep Drawn

White baked enamel steel 26 gauge rust resistant body and door non-mirrored medicine cabinet. Door operates with a front keyed lock and mounted on a full length piano hinge. White baked enamel steel adjustable shelves. Cabinet can be inverted for right or left hand installation.

715K / 715SK - Surface Mounted

Stainless steel 22 gauge rust proof medicine cabinet with a bright annealed finish. Stainless steel framed mirror mounted on a piano hinge. Fixed stainless steel shelf. 715K has a front keyed lock and 715SK has a side keyed lock.

915K - Surface Mounted

Stainless steel 22 gauge rust proof medicine cabinet with a satin finish. Frosted safety glass door with front keyed entry featuring pin hinge construction. Fixed stainless steel shelf.

LB-3 / LB-3D - Surface Mounted - Lockbox

White baked enamel steel 20 gauge rust resistant lock box. For use alone or inserted in a medicine cabinet. LB-3 comes keyed alike and LB-3D comes keyed different.

Recessed

Stainless Steel Framed	Overall Size W x H x D	Wall Opening W x H x D	Glass Shelves
1626L	16" x 26" x 4 ¹³ / ₁₆ "	13 ³ / ₄ " x 23 ³ / ₄ " x 3 ¹ / ₈ "	2

Projection is 1" for the above model

Recessed - Deep Drawn

Polished Edge White Baked Enamel	Overall Size W x H x D	Wall Opening W x H x D	White Baked Enamel Steel Shelves
26L	16" x 26" x 4 ⁵ / ₈ "	14" x 23 ³ / ₄ " x 3 ¹ / ₂ "	2

Projection is 1/4" for the above model

Surface Mounted

Model Number	Overall Size W x H x D	Metal Shelves
715K	9 ³ / ₄ " x 15 ³ / ₄ " x 4 ³ / ₄ "	1
715SK	9 ³ / ₄ " x 15 ³ / ₄ " x 4 ³ / ₄ "	1

Surface Mounted

Model Number	Overall Size W x H x D	Metal Shelves
915K	9 ³ / ₄ " x 15 ³ / ₄ " x 4 ¹ / ₄ "	1

Surface Mounted - Lockbox

Model Number	Overall Size W x H x D	Keyed Options
LB-3	13" x 5" x 3 ¹ / ₂ "	Alike
LB-3D	13" x 5" x 3 ¹ / ₂ "	Different



SLIDING DOOR *Series*

Our Sliding Door Series medicine cabinets feature sliding polished edge mirror doors on an integral track system, and are available in surface mounted or recessed models.

Specifications: White baked enamel steel 26 gauge rust resistant body and trimmed in a bright annealed stainless steel.

Mirrors/Doors: Two electro copper plated 1/8" polished edge plate sliding mirror doors with handles, set on an integral track system for easy sliding.

Shelves: Rust resistant white baked enamel steel shelf.



SD-2420


Surface Mounted

Polished Edge Mirror	Overall Size W x H x D	Shelves
SD-2420	24" x 20" x 4"	1

Recessed

Polished Edge Mirror	Overall Size W x H x D	Wall Opening W x H x D	Shelves
SD-2420R	24" x 20" x 4 3/4"	23" x 18" x 3 7/8"	1

Projection is 1" for the above model



SD-2420R

COSMETIC *Series*

Our Cosmetic Series offers storage for cosmetics with the top of the unit for shelf space. We offer this series in a standalone unit or in combination with an integral mirror. Cabinets are fabricated with polished stainless steel. Doors are mounted on a continuous heavy duty PVC track system. Interior of the cabinet has a powder coated white baked enamel.


Specifications: Polished rust proof stainless steel with a powder coated white baked enamel interior.

Mirror: Bright annealed stainless steel framed mirror.

Mirror Doors: 3/16" first quality plate glass sliding mirrored doors. Featuring a handle on each door.

Surface Mounted - Cosmetic Box

Stainless Steel Framed	Overall Size W x H x D
2408M	24" x 8 3/4" x 4 1/4"
3008M	30" x 8 3/4" x 4 1/4"
3608M	36" x 8 3/4" x 4 1/4"



2408M




2432CB

Surface Mounted - Cosmetic Box with Mirror

Stainless Steel Framed	Overall Size W x H x D	Mirror Size W x H
2432CB	24" x 32" x 4 1/4"	24" x 23 1/4"
3032CB	30" x 32" x 4 1/4"	30" x 23 1/4"
3632CB	36" x 32" x 4 1/4"	36" x 23 1/4"

COSMETIC





ILLUMINATED MEDICINE CABINETS

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-3543
info@ameraproducts.com

PREMIER ILLUMINATED *Series*

Our Premier Illuminated Series medicine cabinets provide elegant solutions to your bathroom storage needs. Constructed of brushed satin anodized aluminum, these cabinets combine luxury with a no maintenance finish. Interior and exterior mirrors are set in a superior solid aluminum door construction. Slotted finger pull along the edge and underside of the door allow for easy function. Soft close gravity hinge operation. The cabinets can be installed both recessed and surface mounted. Floating mirrored side kits and hardware are included for either installation. Integral LED lighting provides energy efficiency to this sustainable design.

Specifications: Satin anodized rust proof aluminum finish with full mirrored interior.

Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on heavy duty cabinet hinges and feature a slotted finger pull on the underside of the door. Cabinets can be inverted in the field for right or left door swing.

Shelves: Adjustable tempered glass shelves on locking secure shelf clips.

Lighting: Integral hardwired LED lighting



AL-2026-LED



ALD-2625-LED



ALTV3128-LED

Surface Mounted or Recessed - Single Door

Polished Edge Mirror	Overall Size W x H x D	Wall Opening W x H x D	Glass Shelves	Lumens	Watts	Kelvin
AL-2026-LED	20" x 26" x 5 1/4"	19 5/16" x 24 3/4" x 4 1/8"	2	2160	10.4	6000

Projection is 1 1/4" for the above model

Surface Mounted or Recessed - Dual Door

Polished Edge Mirror	Overall Size W x H x D	Wall Opening W x H x D	Glass Shelves	Lumens	Watts	Kelvin
ALD-2625-LED	26" x 25 5/8" x 5 1/4"	25 5/8" x 24 3/4" x 4 1/8"	2	1980	7.9	6000

Projection is 1 1/4" for the above model

Surface Mounted or Recessed - Tri Door

Polished Edge Mirror	Overall Size W x H x D	Wall Opening W x H x D	Glass Shelves	Lumens	Watts	Kelvin
ALTV3128-LED	31 1/2" x 27 9/16" x 5 1/4"	31 1/8" x 26 11/16" x 4 1/8"	2	1800	5.75	6000

Projection is 1 1/4" for the above model

ILLUMINATED LED



DELUXE ILLUMINATED *Series*

Our Deluxe Illuminated Series medicine cabinets are available with either an integral LED light strip or with a traditional bulb base. Both designs feature a hardwired lighting unit with a diffuser as an integral part of the medicine cabinet. This series is an ideal design to meet HUD housing and federal specifications.



171-TL

Standard Light

Specifications: White baked enamel 20 gauge rust resistant steel. Cabinets are hinged on the left.

Mirrors/Doors: 3/16" first quality plate glass framed with bright annealed stainless steel. Doors are mounted on a full length piano hinge and are equipped with a magnetic door catch.

Shelves: 1/4" adjustable tempered glass shelves mounted on locking adjustable aluminum shelf clips.

Lighting: Hardwired integral light fixture is equipped with 2 standard G25 light sockets. For use with LED, CFL, or incandescent bulbs.

**40W maximum for incandescent bulb | Bulbs not included*

Surface Mounted - Standard Light

Stainless Steel Frame	Overall Size W x H x D	Door Size W x H	Cabinet Body Depth	Glass Shelves
171-TL	16" x 23 5/8" x 8"	16" x 20"	4 5/16"	2
173-TL	16" x 33 5/8" x 8"	16" x 30"	4 5/16"	3

ILLUMINATED LED

LED Light

Specifications: White baked enamel 20 gauge rust resistant steel. Cabinets are hinged on the left.

Mirrors/Doors: 3/16" first quality plate glass framed with bright annealed stainless steel. Doors are mounted on a full length piano hinge and are equipped with a magnetic door catch.

Shelves: 1/4" adjustable tempered glass shelves mounted on locking adjustable aluminum shelf clips.

Lighting: Features integral hardwired LED lighting included. LED chip count is 21.

Surface Mounted - LED Light

Stainless Steel Frame	Overall Size W x H x D	Door Size W x H	Cabinet Body Depth	Glass Shelves
171-TL-LED	16" x 23 5/8" x 8"	16" x 20"	4 5/16"	2
173-TL-LED	16" x 33 5/8" x 8"	16" x 30"	4 5/16"	3

LED Lighting Information

Lumens	Watts	Kelvin
630	5.75	6000



173-TL-LED

SLIDING DOOR ILLUMINATED *Series*

Our Sliding Door Illuminated Series medicine cabinets are available with either an integral LED light strip or with a traditional bulb base. Both designs feature a hardwired light unit with diffuser as an integral part of the cabinet.

Standard Light

Specifications: White baked enamel 26 gauge rust resistant steel. Body trimmed in a bright annealed stainless steel border.

Mirrors/Doors: Two electro copper plated 1/8" polished edge plate sliding mirror doors with handles, set on an integral track system for easy sliding.

Shelves: Fixed rust resistant white baked enamel steel shelf

Lighting: Hardwired integral light features two light sockets. G25 base 40 watt incandescent bulbs (Can use LED bulb).



SDL-2419 - Side View

Surface Mounted - Standard Light

Stainless Steel Frame	Overall Size W x H x D	Cabinet Body Depth	Metal Shelves
SDL-2419	24" x 19 1/2" x 7 1/2"	4 1/2"	1

*Models with Standard Lighting can be used with any G25 LED bulb



SDL-2419-LED

LED Light

Specifications: White baked enamel 26 gauge rust resistant steel. Body trimmed in a bright annealed stainless steel border.

Mirrors/Doors: Two electro copper plated 1/8" polished edge plate sliding mirror doors with handles, set on an integral track system for easy sliding. Trimmed in bright annealed stainless steel.

Shelves: Fixed rust resistant white baked enamel steel shelf

Lighting: Features integral hardwired LED lighting included. LED chip count is 120.

Surface Mounted - LED Light

Stainless Steel Frame	Overall Size W x H x D	Cabinet Body Depth	Metal Shelves
SDL-2419-LED	24" x 19 1/2" x 7 1/2"	4 1/2"	1

LED Lighting Information

Lumens	Watts	Kelvin
2000	0.74	6000

ILLUMINATED LED



TRI-VIEW ILLUMINATED *Series*

Our Tri-View Illuminated Series medicine cabinets are crafted with an integral light strip and are fabricated with a rust resistant white baked enamel steel finish. This series is offered in a polished edge mirror. These cabinets have a pan door construction. Doors are mounted on soft close gravity hinges that close by using the weight of the door as a constant force. These hinges allow the door to pivot over the body of the cabinet and allow six way door adjustment. The cabinets operate without the use of magnetic closure, and are equipped with rubber door silencer pads. This series features a light strip built into the top of the medicine cabinet.



SM-L-3030PE

Specifications: White baked enamel steel 20 gauge rust resistant bodies, doors and shelves.


Mirrors/Doors: 3/16" first quality plate glass. Doors are mounted on soft close gravity hinges that close by using the weight of the door as a constant force.

Shelves: Fixed rust resistant white baked enamel steel shelves.

Lighting: Light strip is fabricated of 20 gauge steel and chrome plated to a high mirror finish. Hardwired integral light requires G25 base 40 watt bulbs (Standard or LED). Bulbs not included.

Surface Mounted

Polished Edge Mirror	Overall Size W x H x D	Overall Mirror Size W x H	Metal Shelves	Number of Bulbs
SM-L-3030PE	30" x 34 1/4" x 5"	30" x 30"	3	5
SM-L-3630PE	36" x 34 1/4" x 5"	36" x 30"	3	5
SM-L-4830PE	48" x 34 1/4" x 5"	48" x 30"	3	6



LED MIRRORS



AUR-6036

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5543
info@ameraproducts.com

AURORA *Series*

The Aurora Series LED mirrors feature backlit lighting behind the mirror. The wall-glow accent light provides soft lighting around the perimeter of the mirror. These units are wall mounted and can be hung vertically or horizontally. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz. CRI ≥85. IP rate of waterproof LED strip is IP65.

3500 Kelvin

Polished Edge Mirror Backlit LED

Energy Efficient LED Lighting

Sustainable Design

UL Listed LED Driver

Model Number	Overall Size W x H x D	Lumens	Watts
AUR-2030	20" x 30" x 1 3/4"	1852	20W
AUR-2436	24" x 36" x 1 3/4"	2352	35W
AUR-3036	30" x 36" x 1 3/4"	2640	35W
AUR-4836	48" x 36" x 1 3/4"	3514	35W
AUR-6036	60" x 36" x 1 3/4"	4128	60W

AURORA + *Series*

The Aurora + Series is enhanced with a mirror defogger and lighting touch sensor.

The sensor allows the user to create their own ambiance by controlling the brightness and color temperature of the LED lighting. The LED lighting features a wall-glow accent light for soft lighting around the mirror. These units are wall mounted and can be hung vertically or horizontally. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz. CRI ≥85. IP rate of waterproof LED strip is IP65.

Model Number	Overall Size W x H x D	Lumens	Watts
AUR-2030P	20" x 30" x 1 3/4"	1852	20W
AUR-2436P	24" x 36" x 1 3/4"	2352	35W
AUR-3036P	30" x 36" x 1 3/4"	2640	35W
AUR-4836P	48" x 36" x 1 3/4"	3514	35W
AUR-6036P	60" x 36" x 1 3/4"	4128	60W

Color Changing LED Lighting

3000K | 4500K | 6000K

Polished Edge Mirror Backlit LED

Mirror Defogger

Dimmable LED Lighting

Energy Efficient LED Lighting



LUM-2436P

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6548
Fax: (409) 840-3541
info@ameraproducts.com

LUMINOUS *Series*

The Luminous Series LED mirrors feature a frosted glass edge which illuminates the front and sides of the LED mirror. The obscured glass allows the LED lighting to be gently diffused for an opulent glow. These units are wall mounted and can be hung vertically or horizontally. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz. CRI ≥85. IP rate of waterproof LED strip is IP65. Aluminum mounting structure.

3500 Kelvin

Frosted Glass Edge LED Mirror

Energy Efficient LED Lighting

Sustainable Design

UL Listed LED Driver

Model Number	Overall Size W x H x D	Lumens	Watts
LUM-2030	20" x 30" x 1 3/4"	1852	20W
LUM-2436	24" x 36" x 1 3/4"	2352	35W
LUM-3036	30" x 36" x 1 3/4"	2640	35W
LUM-4836	48" x 36" x 1 3/4"	3514	35W
LUM-6036	60" x 36" x 1 3/4"	4128	60W

Width of frosted glass edge is 2"

LUMINOUS + *Series*

The Luminous + Series comes with a mirror defogger and a lighting touch sensor to control the brightness and color temperature of the mirror. The LED lighting features a frosted glass edge which illuminates the front and sides of the LED mirror. These units are wall mounted and can be hung vertically or horizontally. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz. CRI ≥85. IP rate of waterproof LED strip is IP65.

Model Number	Overall Size W x H x D	Lumens	Watts
LUM-2030P	20" x 30" x 1 3/4"	1852	20W
LUM-2436P	24" x 36" x 1 3/4"	2352	35W
LUM-3036P	30" x 36" x 1 3/4"	2640	35W
LUM-4836P	48" x 36" x 1 3/4"	3514	35W
LUM-6036P	60" x 36" x 1 3/4"	4128	60W

Width of frosted glass edge is 2"

Color Changing LED Lighting

3000K | 4500K | 6000K

Frosted Glass Edge LED Mirror

Mirror Defogger

Dimmable LED Lighting

Energy Efficient LED Lighting



NOV-2030P

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-3541
info@ameraproducts.com

NOVA *Series*

The Nova Series LED mirrors feature frosted glass inset into the mirror which illuminates the front of the LED mirror. These units are wall mounted and can be hung vertically or horizontally. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz. CRI ≥85. IP rate of waterproof LED strip is IP65. Aluminum mounting structure.

3500 Kelvin

**Polished Edge Mirror
with Frosted Glass Inset**

Energy Efficient LED Lighting

Sustainable Design

UL Listed LED Driver

Model Number	Overall Size W x H x D	Lumens	Watts
NOV-2030	20" x 30" x 1 3/4"	1056	20W
NOV-2436	24" x 36" x 1 3/4"	1299	20W
NOV-3036	30" x 36" x 1 3/4"	1299	20W
NOV-4836	48" x 36" x 1 3/4"	1299	20W
NOV-6036	60" x 36" x 1 3/4"	1299	20W

NOVA + *Series*

The Nova + Series comes with a mirror defogger and a lighting touch sensor to control the brightness and color temperature of the mirror. The LED lighting features frosted glass inset into the mirror which illuminates the front of the LED mirror. These units are wall mounted and can be hung vertically or horizontally. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz. CRI ≥85. IP rate of waterproof LED strip is IP65.

Model Number	Overall Size W x H x D	Lumens	Watts
NOV-2030P	20" x 30" x 1 3/4"	1056	20W
NOV-2436P	24" x 36" x 1 3/4"	1299	20W
NOV-3036P	30" x 36" x 1 3/4"	1299	20W
NOV-4836P	48" x 36" x 1 3/4"	1299	20W
NOV-6036P	60" x 36" x 1 3/4"	1299	20W

Color Changing LED Lighting


3000K | 4500K | 6000K

**Polished Edge Mirror
with Frosted Glass Inset**

Mirror Defogger

Dimmable LED Lighting

Energy Efficient LED Lighting



RAD-2436

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-3541
info@ameraproducts.com

RADIANT *Series*

The Radiant Series LED mirrors feature frosted glass inset into the mirror which illuminates the front and sides of the LED mirror. The inset LED lighting provides a sophisticated look in any application. These units are wall mounted and can be hung vertically or horizontally. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz. CRI ≥85. IP rate of waterproof LED strip is IP65.

3500 Kelvin

**Polished Edge Mirror
with Frosted Glass Inset**

Energy Efficient LED Lighting

Sustainable Design

UL Listed LED Driver

Model Number	Overall Size W x H x D	Lumens	Watts
RAD-2030	20" x 30" x 1 3/4"	1852	20W
RAD-2436	24" x 36" x 1 3/4"	2352	35W
RAD-3036	30" x 36" x 1 3/4"	2640	35W
RAD-4836	48" x 36" x 1 3/4"	3514	35W
RAD-6036	60" x 36" x 1 3/4"	4128	60W

Width of frosted glass is 1 3/4" | Width of mirror edge is 1/4"

RADIANT + *Series*

The Radiant + Series comes with a mirror defogger and a lighting touch sensor to control the brightness and color temperature of the mirror. The LED lighting features a frosted glass inset into the mirror which illuminates the front and sides of the LED mirror. These units are wall mounted and can be hung vertically or horizontally.

Power requirements for hardwiring are 100/240 VAC - 50/60 Hz. CRI ≥85. IP rate of waterproof LED strip is IP65.

Model Number	Overall Size W x H x D	Lumens	Watts
RAD-2030P	20" x 30" x 1 3/4"	1852	20W
RAD-2436P	24" x 36" x 1 3/4"	2352	35W
RAD-3036P	30" x 36" x 1 3/4"	2640	35W
RAD-4836P	48" x 36" x 1 3/4"	3514	35W
RAD-6036P	60" x 36" x 1 3/4"	4128	60W

Width of frosted glass is 1 3/4" | Width of mirror edge is 1/4"

Color Changing LED Lighting

3000K | 4500K | 6000K

**Polished Edge Mirror
with Frosted Glass Inset**

Mirror Defogger

Dimmable LED Lighting

Energy Efficient LED Lighting



STE-4836

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-3541
info@ameraproducts.com

STELLAR *Series*

The Stellar Series LED mirrors feature a frosted glass edge surrounded by a stainless steel frame which illuminates the front of the LED mirror. These units are wall mounted and can be hung vertically or horizontally. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz. CRI ≥85. IP rate of waterproof LED strip is IP65.

3500 Kelvin

Stainless Steel Framed Mirror with Frosted Glass Edge

Energy Efficient LED Lighting

Sustainable Design

UL Listed LED Driver

Model Number	Overall Size W x H x D	Lumens	Watts
STE-2030	20" x 30" x 1 3/4"	1852	35W
STE-2436	24" x 36" x 1 3/4"	2352	35W
STE-3036	30" x 36" x 1 3/4"	2640	35W
STE-4836	48" x 36" x 1 3/4"	3514	60W
STE-6036	60" x 36" x 1 3/4"	4128	60W

STELLAR + *Series*

The Stellar + Series comes with a mirror defogger and a lighting touch sensor to control the brightness and color temperature of the mirror. The LED lighting features a frosted glass edge surrounded by a stainless steel frame which illuminates the front of the LED mirror. These units are wall mounted and can be hung vertically or horizontally. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz. CRI ≥85. IP rate of waterproof LED strip is IP65.

Color Changing LED Lighting

3000K | 4500K | 6000K

Stainless Steel Framed Mirror with Frosted Glass Edge

Mirror Defogger

Dimmable LED Lighting

Energy Efficient LED Lighting

Model Number	Overall Size W x H x D	Lumens	Watts
STE-2030P	20" x 30" x 1 3/4"	1852	35W
STE-2436P	24" x 36" x 1 3/4"	2352	35W
STE-3036P	30" x 36" x 1 3/4"	2640	35W
STE-4836P	48" x 36" x 1 3/4"	3514	60W
STE-6036P	60" x 36" x 1 3/4"	4128	60W



ORB-24P

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-3541
info@ameraproducts.com

ORBIT *Series*

The Orbit Series LED mirrors feature a frosted glass edge which illuminates the diameter of the LED mirror. These versatile mirrors are the perfect compliment to any bathroom, entryway, foyer, or corridor space. These units are wall mounted. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz. CRI ≥85. IP rate of waterproof LED strip is IP65.

3500 Kelvin

Frosted Glass Edge LED Mirror

Energy Efficient LED Lighting

Sustainable Design

UL Listed LED Driver

Model Number	Overall Diameter	Overall Depth	Lumens	Watts
ORB-24	24"	1 3/4"	1488	20W
ORB-30	30"	1 3/4"	1939	20W
ORB-36	36"	1 3/4"	2352	35W

ORBIT + *Series*

The Orbit + Series comes with a mirror defogger and a lighting touch sensor to control the brightness and color temperature of the mirror. The LED lighting features a frosted glass edge which illuminates the diameter of the LED mirror. These units are wall mounted. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz. CRI ≥85. IP rate of waterproof LED strip is IP65.

Model Number	Overall Diameter	Overall Depth	Lumens	Watts
ORB-24P	24"	1 3/4"	1488	20W
ORB-30P	30"	1 3/4"	1939	20W
ORB-36P	36"	1 3/4"	2352	35W

Color Changing LED Lighting
3000K | 4500K | 6000K

Frosted Glass Edge LED Mirror

Mirror Defogger


Dimmable LED Lighting

Energy Efficient LED Lighting





ELL-2030



ELLIPSE *Series*

The Ellipse Series LED mirrors feature a frosted glass edge which illuminates the front and sides of the LED mirror. These versatile mirrors are the perfect compliment to any bathroom, entryway, foyer, or corridor space. These units are wall mounted and can be hung vertically or horizontally. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz. CRI ≥85. IP rate of waterproof LED strip is IP65.

3500 Kelvin

Frosted Glass Edge LED Mirror

Energy Efficient LED Lighting

Sustainable Design

UL Listed LED Driver

Model Number	Overall Size W x H x D	Lumens	Watts
ELL-2030	20" x 30" x 1 3/4"	1680	20W
ELL-2436	24" x 36" x 1 3/4"	2016	20W

ELLIPSE + *Series*

The Ellipse + Series comes with a mirror defogger and a lighting touch sensor to control the brightness and color temperature of the mirror. The LED lighting features a frosted glass edge which illuminates the diameter of the LED mirror. These units are wall mounted. Power requirements for hardwiring are 100/240 VAC - 50/60 Hz. CRI ≥85. IP rate of waterproof LED strip is IP65.

Model Number	Overall Size W x H x D	Lumens	Watts
ELL-2030P	20" x 30" x 1 3/4"	1680	20W
ELL-2436P	24" x 36" x 1 3/4"	2016	20W

Color Changing LED Lighting
3000K | 4500K | 6000K

Frosted Glass Edge LED Mirror

Mirror Defogger

Dimmable LED Lighting

Energy Efficient LED Lighting



WASHROOM MIRRORS

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6548
Fax: (409) 840-3541
info@ameraproducts.com

ACCESSIBLE MIRROR *Series*

Our Accessible Mirror Series washroom mirrors feature both fixed tilt and adjustable tilt designs to accommodate any application. Functionality and quality design make these ideal for public restrooms.

Fixed Tilt Mirror

Specifications: Type 304 heavy 20 gauge stainless steel with satin finish. 3/16" number one quality electrocopper plated plate glass mirror. Galvanized steel backplate, fully welded and smooth edges for a seamless finish. Four slotted mounting holes complete with standard hardware and integral screw head lock. Mirror frame tapers from 4" tilt on top of mirror to 1".

Fixed Tilt Mirror

Stainless Steel Framed	Overall Size W x H x D
FTM-1630	16" x 30" x 4"
FTM-1836	18" x 36" x 4"
FTM-2430	24" x 30" x 4"
FTM-2436	24" x 36" x 4"



FTM-2430

Adjustable Tilt Mirror

Specifications: Type 304 heavy 20 gauge stainless steel with satin finish. 3/16" number one quality electrocopper plated plate glass mirror. Galvanized steel backplate, fully welded and smooth edges for a seamless finish. Mounted on a full length piano hinge across the bottom edge of unit, with two heavy duty self-locking support brackets.

Adjustable Tilt Mirror

Stainless Steel Framed	Overall Size W x H x D
ATM-1630	16" x 30" x 3/4"
ATM-1836	18" x 36" x 3/4"
ATM-2430	24" x 30" x 3/4"
ATM-2436	24" x 36" x 3/4"



ATM-1824

WASHROOM MIRRORS




Distributed by
www.Ameraproducts.com
 Phone: (800) 608-6548
 Fax: (409) 840-3541
info@ameraproducts.com

STAINLESS STEEL MIRROR *Series*

Our Stainless Steel Mirror Series washroom mirrors feature high polished stainless steel for a reflective mirror surface. Ideal for institutional, penal, high vandalized areas, food service, machine shops, and high abuse areas.

Specifications: Type 430, 20 gauge stainless steel with a bright annealed finish for use in high traffic areas. Mounting holes are 1/4" in diameter.



SSF-1620



SSF-1630

WASHROOM MIRRORS

Stainless Steel Mirror

Model Number	Overall Size W x H x D
SSF-1014	10" x 14" x 1/16"
SSF-1620	16" x 20" x 1/16"
SSF-1630	16" x 30" x 1/16"
SSF-1824	18" x 24" x 1/16"
SSF-1836	18" x 36" x 1/16"
SSF-2430	24" x 30" x 1/16"
SSF-2436	24" x 36" x 1/16"

Note: Stainless steel mirrors reflect images in different quality than glass mirror. A slight distortion is an inherent characteristic of bright annealed polished stainless steel.

THEFT PROOF MIRROR *Series*

Our Theft Proof Mirror Series channel framed washroom mirrors feature a theft resistant mounting system. This series features a stainless steel channel framed mirror with either glass mirror or acrylic mirror options. Ideal for schools, public restrooms, and commercial use.

Theft Proof Mirror

Specifications: Stainless steel channel framed mirror 1/2" rolled formed channel frame with mitered corners. 3/16" thick electrocopper plated mirror. Heavy duty galvanized steel back plate welded in place, four slotted locking mounting holes for theft proof mounting.

Theft Proof Mirror

Model Number	Overall Size W x H x D
TPM-1622	16" x 22 1/4" x 1/2"
TPM-1824	18" x 24 1/4" x 1/2"
TPM-1830	18" x 30 1/4" x 1/2"
TPM-1836	18" x 36 1/4" x 1/2"
TPM-2436	24" x 36 1/4" x 1/2"



TPM-1622



TPMA-1830

Theft Proof Acrylic Mirror

Specifications: Stainless steel channel framed mirror 1/2" rolled formed channel frame with mitered corners. 1/8" thick shatter resistant acrylic mirror. Heavy duty galvanized steel back plate welded in place, four slotted locking mounting holes for theft proof mounting.


Theft Proof Acrylic Mirror

Model Number	Overall Size W x H x D
TPMA-1622	16" x 22 1/4" x 1/2"
TPMA-1824	18" x 24 1/4" x 1/2"
TPMA-1830	18" x 30 1/4" x 1/2"

Note: Acrylic mirrors reflect images in different quality than glass mirror. A slight distortion is an inherent characteristic of an acrylic faced mirror.

WASHROOM MIRRORS





Product Care

At Ketcham we want your mirror/medicine cabinet to maintain the same beauty and functionality as the day it was installed. Following these cleaning instructions and using the approved cleaning solutions will keep your mirror/medicine cabinet bright and beautiful throughout its lifetime.

These mirror products require special care. Use a damp cloth to clean your mirror. Do not use any abrasive material as it may damage the surface and finish of the mirror. When cleaning, spray the cloth, not the mirror or surrounding surfaces. A mild detergent may be used to clean the surfaces of the mirror.

DO NOT clean your mirror/medicine cabinet with any knives, scrapers, emery cloth, scouring sponges, or abrasive materials.

DO NOT use alkali or acid cleaning solutions, as this will severely damage the mirror/medicine cabinet.

Ketcham Quality Guarantee

At Ketcham we produce quality products, as such we stand behind our entire line. Please read below for our Ketcham Quality Guarantee.

Ketcham products are guaranteed to be free of manufacturing defects from one year after date of purchase. Any products returned under this guarantee will be repaired or replaced at no charge. Ketcham does not assume any liability for labor to remove or replace any products.

Mirrors are guaranteed against silver spoilage for a period of 5 years after purchase date providing the product care instructions have been implemented.

LED light strips built into the mirror are guaranteed to last for a period of 10 years or 30,000 hours after purchase date.

This warranty DOES NOT cover any products that have been subject to misuse, accident, negligence, improper repair/maintenance, or faulty installation.





KETCHAM

Distributed by
www.Ameraproducts.com
Phone: (800) 608-6568
Fax: (409) 840-5542
info@ameraproducts.com